








CLOPAY MODEL 3200 (24 GA MIN EXT SKIN)
 CLOPAY MODEL 3220 (20 GA MIN EXT SKIN)
 HOLMES MODEL 240/240G (24 GA MIN EXT SKIN)

REV	DATE	DESCRIPTION
6	10/2005	ADDED ROLLER OPTION
7	11/2008	ADDED MPC; UPDATED JAMB ATTACHMENT PER TDS-161.
8	02/2012	UPDATED WINDCODE CHART



THIS DOOR MEETS OR EXCEEDS THE DESIGN LOADS FOR THE ULTIMATE WIND SPEEDS LISTED BELOW ACCORDING TO THE FLORIDA BUILDING CODE OR THE INTERNATIONAL BUILDING CODE (BASED ON ASCE7-10) FOR THE FOLLOWING CONDITIONS: 1) ENCLOSED BUILDING, 2) DOOR HAS 2' OF WIDTH IN BUILDING'S END ZONE, 3) ANY ROOF SLOPE, AND 4) TESTING IN ACCORDANCE WITH ANSI/DASMA 108. SITE-SPECIFIC CALCULATIONS BY A QUALIFIED DESIGN PROFESSIONAL MAY DIFFER.

ULTIMATE WIND SPEED (MPH)	155	160	165	175	195
EXPOSURE CATEGORY	B, C, D	B, C, D	B, C	B, C	B
MEAN ROOF HEIGHT	25'	15'	25'	15'	30'

THE SUPPORTING STRUCTURAL ELEMENTS ARE TO BE DESIGNED BY THE BUILDING ARCHITECT OR ENGINEER OF RECORD FOR THE LOADS SHOWN ON THIS DRAWING.

DESIGN ENGINEER: MARK WESTERFIELD, P.E.
 FLORIDA P.E. #48495, NC P.E. #23832, TEXAS P.E. #91513
 DESIGN LOADS: +37.0 PSF & -40.0 PSF
 TEST LOADS: +55.5 PSF & -60.0 PSF



CLOPAY BUILDING PRODUCTS COMPANY
 8585 DUKE BLVD.
 MASON, OH 45040
 (513) 770 - 4800

Clopay Corporation All Rights Reserved.

MANUFACTURING PRODUCT CODE: MPC: C-DSIE-1F448	WINDLOAD RATING W6	MAX DOOR SIZE: 10'2"W x 18'0"H
DATE: 4/18/96	DESCRIPTION: COMM 2" EPS: +37/-40 PSF DESIGN	
DRAWN BY: MWW	DRAWING NUMBER: B 101617	
CHECKED BY:		

FLORIDA PRODUCT APPROVAL 5678