

Residential W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement		FL Approved Standard	Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	MDC Listed	FL		TDI		MDC	IBC			
											FL Approval	FL Drawing						TDI Approval	TDI Drawing	TDI Drawing Impact						
T50S, T40S, T50L, T40L, T40F	HDB, HDBL, HDBF, HDB4	4200, 4203	IT50S, IT40S, IT50L, IT40L, IT40F	M5ST, M5LT	104254	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)													Link		
T50S, T40S, T50L, T40L, T40F	HDB, HDBL, HDBF, HDB4	4200, 4203	IT50S, IT40S, IT50L, IT40L, IT40F	M5ST, M5LT	104145	16'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)													Link		
T50S, T40S, T50L, T40L, T40F (Short Lites Only)	HDB, HDBL, HDBF, HDB4 (Short Lites Only)	4200, 4203 (Short Lites Only)	IT50S, IT40S, IT50L, IT40L, IT40F (Short Lites Only)	M5ST, M5LT (Short Lites Only)	104255	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)													Link		
T51S, T41S, T51L, T41L, T51F, T41F	N/A	5200, 5203	IT51S, IT41S, IT51L, IT41L, IT51F, IT41F	N/A	104254	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)														Link	
T51S, T41S, T51L, T41L, T51F, T41F	N/A	5200, 5203	IT51S, IT41S, IT51L, IT41L, IT51F, IT41F	N/A	104145	16'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)														Link	
T51S, T41S, T51L, T41L, T51F, T41F (Short Lites Only)	N/A	5200, 5203 (Short Lites Only)	IT51S, IT41S, IT51L, IT41L, IT51F, IT41F (Short Lites Only)	N/A	104255	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)														Link	
T52S, T42S, T52L, T42L, T42F	HDS, HDSL, HDSF	5500, 5503	IT52S, IT42S, IT52L, IT42L, IT42F	M4SV, M5LV, M4FV	104254	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)														Link	
T52S, T42S, T52L, T42L, T42F	HDS, HDSL, HDSF	5500, 5503	IT52S, IT42S, IT52L, IT42L, IT42F	M4SV, M5LV, M4FV	104145	16'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)														Link	
T52S, T42S, T52L, T42L, T42F (Short Lites Only)	HDS, HDSL, HDSF (Short Lites Only)	5500, 5503 (Short Lites Only)	IT52S, IT42S, IT52L, IT42L, IT42F (Short Lites Only)	M4SV, M5LV, M4FV (Short Lites Only)	104255	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)														Link	
251S, 251L, 251F	B178, B278, B378	N/A	N/A	N/A	102935	9'-0"	12'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-1-1) 8H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)															Link
251S, 251L, 251F	B178, B278, B378	N/A	N/A	N/A	102937	16'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)															Link
251S, 251F	B178, B378	N/A	N/A	N/A	102939	18'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)															Link
150S, 150L, 140S, 140L	C125, C225, C124	N/A	N/A	N/A	102942	9'-0"	12'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-1-1) 8H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)															Link
150S, 150L, 140S, 140L	C125, C225, C124	N/A	N/A	N/A	102944	16'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)															Link
150S, 140S	C125, C124	N/A	N/A	N/A	102946	18'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)															Link
70B	N/A	N/A	S5ESV, S5EST, S5SV, S5ST	M5EST, M5ESV	104120	10'-2"	14'-0"	13.5	13.5	N	7H: 2-1/4" 24ga U-Bar (1-0-1-0) 8H: 2-1/4" 24ga U-Bar (1-0-1-0)															Link
70B	N/A	N/A	S5ESV, S5EST, S5SV, S5ST	M5EST, M5ESV	104122	14'-2"	14'-0"	13.5	13.5	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1)															Link
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	MDP38, MRP38, MFL38	102714	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-0-1-0) 8H: 2-1/4" 24ga U-Bar (1-0-1-0-1) 10H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0) 12H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0-1)															Link
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	MDP38, MRP38, MFL38	102715	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1-2) 10H: 2-1/4" U-Bar (2-1-2-1-2-1) 12H: 2-1/4" U-Bar (2-1-2-1-2-1-2)															Link
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	MDP38, MRP38, MFL38	102867	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)															Link
4300, 4301, 4310	HDG, HDGL, HDGF	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200, SDP68, SRP68, SFL68	MDP68, MRP68, MFL68	102694	9'-0"	16'-0"	13	15	N	NONE															Link

Residential W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	FL	FL	TDI Listed	TDI Listed	MDC Listed	FL	FL	TDI	TDI	TDI	MDC	IBC	
												Approved Standard	Approved Impact Resistant	TDI Listed Standard	Impact Resistant		Approval	Drawing	Approval	Drawing	Drawing Impact			
4300, 4301, 4310	HDG, HDGL, HDGF	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200, SDP68, SRP68, SFL68	MDP68, MRP68, MFL68	102695	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (1-1-1-1) 8H: 2-1/4" U-Bar (1-1-1-1-1) 10H: 2-1/4" U-Bar (1-1-1-1-1-1) 12H: 2-1/4" U-Bar (1-1-1-1-1-1-1)													Link
4300, 4301, 4310	HDG, HDGL, HDGF	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200, SDP68, SRP68, SFL68	MDP68, MRP68, MFL68	102736	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1) 10H: 3" U-Bar (1-1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1-1)													Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	MDP38U, MFL38U, MRP38U	104174	9'-0"	16'-0"	13	15	N	NONE													Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	MDP38U, MFL38U, MRP38U	104163	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1-1)													Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	MDP38U, MFL38U, MRP38U	104291	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)													Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104279	9'-0"	16'-0"	13	15	N	NONE													Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104129	16'-0" without SCH Insulated lites	16'-0"	12.5	14	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)													Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104129	15'-0" with SCH Insulated lites	16'-0"	12.5	14	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)													Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104129	16'-0" with SCH Insulated lites	16'-0"	12.5	14	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 8'-3" H: 3" 24ga U-Bar (1-1-1-1-1) 10H: 3" 24ga U-Bar (1-1-1-1-1-1) 12H: 3" 24ga U-Bar (1-1-1-1-1-1-1)													Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104259	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (1-1-0-1) 8H: 3" U-Bar (1-1-0-1-1) 10H: 3" U-Bar (1-1-0-1-1-1) 12H: 3" U-Bar (1-1-0-1-1-1-1)													Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104259	18-0 with SCH Insulated lites	16'-0"	12.5	14	N	7H: 3" U-Bar (1-1-0-1) 8H: 3" U-Bar (1-1-0-1-1) 10H: 3" U-Bar (1-1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1-1)													Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	Expressions Pan 25ga MR5S, MR5SV	102738	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)													Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	Expressions Pan 25ga MR5S, MR5SV	102739	16'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)													Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	Expressions Pan 25ga MR5S, MR5SV	102933	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)													Link
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	Expressions Pan 24ga MR4S, MR4SV, MR4L, MR4LV	103597	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)													Link
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	Expressions Pan 24ga MR4S, MR4SV, MR4L, MR4LV	103469	16'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)													Link
Gallery Pan 24ga GD4S, GD4SV, GD4L	Gallery Pan 24ga GR4S, GR4SV, GR4L	Artistry Pan 24ga AR4S, AR4SV, AR4L	Expressions Pan 24ga ED4S, ED4SV, ED4L	Expressions Pan 24ga MR4S, MR4SV, MR4L	103603	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)													Link
Gallery Pan 24ga GD4S, GD4SV, GD4L	Gallery Pan 24ga GR4S, GR4SV, GR4L	Artistry Pan 24ga AR4S, AR4SV, AR4L	Expressions Pan 24ga ED4S, ED4SV, ED4L	Expressions Pan 24ga MR4S, MR4SV, MR4L	105108	20'-2"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)													Link
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	Expressions EPS MR1SP, MR1LP	104022	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)													Link
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	Expressions EPS MR1SP, MR1LP	104023	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-2-2-2) 8H: 2-1/4" U-Bar (2-2-2-2) 10H: 2-1/4" U-Bar (2-2-2-2-2) 12H: 2-1/4" U-Bar (2-2-2-2-2-2)													Link
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	Expressions EPS MR1SP, MR1LP	104024	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)													Link

Residential W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	FL					FL		TDI Listed		FL		TDI		MDC Approval	IBC Drawing			
												FL Approved Standard	Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	MDC Listed	FL Approval	FL Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact								
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	104025	9'-0"	16'-0"	13	15	N	NONE																Link		
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	104026	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																Link		
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	104027	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																Link		
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	105094	20'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)																Link		
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	Expressions PUR MR1SU, MR1LU	104356	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)																	Link	
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	Expressions PUR MR1SU, MR1LU	104329	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)																Link		
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	Expressions PUR MR1SU, MR1LU	104358	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)																Link		
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR MR2SU, MR2LU	104357	9'-0"	16'-0"	13	15	N	NONE																	Link	
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR MR2SU, MR2LU	104360	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																	Link	
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR MR2SU, MR2LU	104361	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																Link		
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR MR2SU, MR2LU	105173	20'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)																Link		
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR MR2SU, MR2LU	104359	9'-0"	12'-0"	13	15	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)																Link		
EPS Cypress 4132	EPS Cypress 2132	EPS Cypress 6132	EPS Cypress SFC38	EPS Cypress MFC38	104022	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)																	Link	
EPS Cypress 4132	EPS Cypress 2132	EPS Cypress 6132	EPS Cypress SFC38	EPS Cypress MFC38	104023	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-2-2-2) 8H: 2-1/4" U-Bar (2-2-2-2) 10H: 2-1/4" U-Bar (2-2-2-2-2) 12H: 2-1/4" U-Bar (2-2-2-2-2-2)																Link		
EPS Cypress 4132	EPS Cypress 2132	EPS Cypress 6132	EPS Cypress SFC38	EPS Cypress MFC38	104024	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)																Link		
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6132	EPS Cypress SFC68	EPS Cypress MFC68	104025	9'-0"	16'-0"	13	15	N	NONE																	Link	
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	EPS Cypress MFC68	104026	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																	Link	
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	EPS Cypress MFC68	104027	18'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																	Link	
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104356	9'-0"	16'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-0-1) 8H: 2-1/4" 24ga U-Bar (1-1-0-1) 10H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)																		Link
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104329	16'-0"	16'-0"	13	15	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)																		Link
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104357	16'-0"	12'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)																		Link
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104358	18'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)																	Link	
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104359	9'-0"	12'-0"	13	15	N	NONE																	Link	

Residential W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	FL					FL		TDI Listed		FL Approval	FL Drawing	TDI		TDI Drawing Impact	MDC Approval	IBC Drawing			
												FL Approved Standard	Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	MDC Listed	TDI Approval	TDI Drawing												
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104360	16'-0"	12'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																	Link		
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104361	18'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																	Link		
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	Modern PUR Flush/Grooved Multi Section Lites MCC68U, MRC68U	104357	9'-0"	16'-0"	13	15	N	NONE																	Link		
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	Modern PUR Flush/Grooved Multi Section Lites MCC68U, MRC68U	104360	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																	Link		
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	Modern PUR Flush/Grooved Multi Section Lites MCC68U, MRC68U	104361	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																	Link		
Grand Harbor	Grand Harbor	N/A	Stone Manor	Stone Manor	103842	9'-0"	12'-0"	13	15	N	7H: 2-1/4" 24ga U-Bar (1-1-1-1) 8H: 2-1/4" 24ga U-Bar (1-1-1-1) 10H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 12H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1)																			Link
Grand Harbor	Grand Harbor	N/A	Stone Manor	Stone Manor	103843	16'-0"	12'-0"	12.5	14	N	7H: 3" 20ga U-Bar (2-1-2-1) 8H: 3" 20ga U-Bar (2-1-2-1) 10H: 3" 20ga U-Bar (2-1-2-1-2) 12H: 3" 20ga U-Bar (2-1-2-1-2-1)																		Link	
Grand Harbor	Grand Harbor	N/A	Stone Manor	Stone Manor	103844	18'-0"	12'-0"	12.5	14	N	7H: 3" 20ga U-Bar (2-2-2-2) 8H: 3" 20ga U-Bar (2-2-2-2) 10H: 3" 20ga U-Bar (2-2-2-2-2) 12H: 3" 20ga U-Bar (2-2-2-2-2-2)																		Link	
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	Affinity EPS	103104	9'-0"	16'-0"	13	15	N	7H: 2-1/4" U-Bar (1-0-1-0) 8H: 2-1/4" U-Bar (1-0-1-0) 10H: 2-1/4" U-Bar (1-0-1-0-1) 12H: 2-1/4" U-Bar (1-0-1-0-1-0)																		Link	
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	Affinity EPS	103105	16'-0"	12'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" 24ga U-Bar (2-1-2-1-2) 12H: 2-1/4" 24ga U-Bar (2-1-2-1-2-1)																		Link	
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	Affinity EPS	103106	18'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																		Link	
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	Affinity Premium EPS	104468	9'-0"	16'-0"	13	15	N	NONE																		Link	
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	Affinity Premium EPS	104469	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																		Link	
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	Affinity Premium EPS	104470	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																		Link	
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	Affinity Premium PUR	104468	9'-0"	16'-0"	13	15	N	NONE																		Link	
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	Affinity Premium PUR	104469	16'-0"	16'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																		Link	
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	Affinity Premium PUR	104470	18'-0"	16'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																		Link	
Canyon Ridge	Canyon Ridge	Glenmoor	Carriage House CWL	Carriage House CWL	104302	9'-0"	10'-0"	13	15	N	NONE																		Link	
Canyon Ridge	Canyon Ridge	Glenmoor	Carriage House CWL	Carriage House CWL	104303	16'-0"	10'-0"	12.5	14	N	7H: 2-1/4" U-Bar (2-1-1-1) 8H: 2-1/4" U-Bar (2-1-1-1) 10H: 2-1/4" U-Bar (2-1-1-1-1) 12H: 2-1/4" U-Bar (2-1-1-1-1-1)																		Link	
Canyon Ridge	Canyon Ridge	Glenmoor	Carriage House CWL	Carriage House CWL	104304	18'-0"	10'-0"	12.5	14	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)																		Link	
Semi- Custom Resv. Coll.	Semi- Custom Resv. Coll.	N/A	N/A	N/A	102901	9'-0"	12'-0"	13	15	N	(same as standard)																		Link	
Semi- Custom Resv. Coll.	Semi- Custom Resv. Coll.	N/A	N/A	N/A	102900	16'-0"	12'-0"	12.5	14	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1) 10H: 3" U-Bar (1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1)																		Link	

Residential W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door	Door	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	FL					FL		TDI			MDC Approval	IBC Drawing
						Width (Max) Ft- In2	Height (Max) Ft- In					FL Approved Standard	Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	MDC Listed	FL Approval	FL Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact		
AX, AXU	N/A	N/A	M4AL, M4ALU	N/A	105588	16'-2"	16'-0"	14	14	N	Same as Standard based on glazing.												Link
AX, AXU	N/A	N/A	M4AL, M4ALU	N/A	105587	20'-2"	16'-0"	14	14	N	Same as Standard based on glazing.												Link

Residential W2 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door	Door	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	FL		TDI Listed Impact Resistant	MDC Listed	FL		TDI		MDC Approval	IBC Drawing	
						Width (Max) Ft- In2	Height (Max) Ft- In					FL Approved Standard	Approved Impact Resistant			TDI Listed Standard	FL Approval	FL Drawing	TDI Approval			TDI Drawing
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	N/A	102930	9'-0"	12'-0"	16	18.5	N	7"H: 2-1/4" 24ga U-Bar (1-1-1-1) 8"H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 10"H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12"H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)											Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	N/A	102898	16'-0"	12'-0"	15.5	17	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)											Link
AX, AXU	N/A	N/A	M4AL, M4ALU	N/A	105581	16'-2"	16'-0"	18	20	Y	Same as Standard based on glazing.											Link
AX, AXU	N/A	N/A	M4AL, M4ALU	N/A	105507	20'-2"	16'-0"	18	18	Y	Same as Standard based on glazing and 2" x 2" L-angle on (1-0-0-0).											Link
AZ5, AZ6, AZ5U, AZ6U	N/A	N/A	M5AL, M6AL, M5ALU, M6ALU	N/A	105786	16'-2"	16'-0"	18	20	Y	Same as Standard based on glazing.											Link
AZ5, AZ6, AZ5U, AZ6U	N/A	N/A	M5AL, M6AL, M5ALU, M6ALU	N/A	105895	20'-2"	16'-0"	18	18	Y	Same as Standard based on glazing and 2" x 2" L-angle on (1-0-0-0).											Link

Residential W3 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	0	101655	9'-0"	8'-0"	20	21	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1-0)	15504.1					Link	Link					Link
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	0	101820	16'-0"	8'-0"	20	21	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2)	15279.4					Link	Link					Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	104677	9'-0"	16'-0"	20	21	N	7H: 3" U-Bar (1-1-0-1) 8H: 3" U-Bar (1-1-0-1-1) 10H: 3" U-Bar (1-1-0-1-1-1) 12H: 3" U-Bar (1-1-0-1-1-1-1)	15504.2					Link	Link					Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	101308	16'-0"	16'-0"	20	21	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.7					Link	Link					Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104175	9'-0"	16'-0"	20	21	N	7H: 2-1/4" 24Ga U-Bar (1-1-0-1) 8H: 2-1/4" 24Ga U-Bar (1-1-0-1-0) 10H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1) 12H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1-0)	16107.45					Link	Link					Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104168	16'-0"	16'-0"	20	21	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.6					Link	Link					Link
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	0	103952	9'-0"	12'-0"	20	21	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1)	15279.2					Link	Link					Link
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	0	104028	16'-0"	12'-0"	20	21	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.5					Link	Link					Link
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	0	104424	9'-0"	12'-0"	20	21	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1)	15279.136					Link	Link					Link
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	0	104425	16'-0"	12'-0"	20	21	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.137					Link	Link					Link

Residential W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing	
													Approved Impact Resistant											TDI Approval
73, 76, 76V, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	2RST, 4RST, 6RST, 4RSF, 6RSF	0	300159	9'-0"	16'-0"	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1) 10H: 3" U-Bar (1-1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1-1)	15504.18 15279.12	Opt. IR Lites 15504.18 15279.126	GDR-59				Link	Link	Link	Link			Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	101711	16'-0"	16'-0"	24	24.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	15279.20	Opt. IR Lites 15279.127	GDR-59				Link	Link	Link	Link			Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	101312	18'-0"	16'-0"	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.28	Opt. IR Lites 15279.128	GDR-59				Link	Link	Link	Link			Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	104946	18'-2"	16'-0"	25	27	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	17671.7	Opt. IR Lites 17671.6					Link	Link					Link
4F4	N/A	N/A	N/A	0	105430	16'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 80 KSI 8H: 3" U-Bar (2-2-2-2) 80 KSI 10H: 3" U-Bar (2-2-2-2-2) 80 KSI 12H: 3" U-Bar (2-2-2-2-2-2) 80 KSI	16546.60						Link	Link					Link
4310, 4300, 4301	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101652	9'-0"	16'-0"	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1-0) 10H: 2-1/4" U-Bar (1-1-0-1-0-1) 12H: 2-1/4" U-Bar (1-1-0-1-0-1-1)	15279.8	Opt. IR Lites 15279.123	GDR-02				Link	Link	Link	Link			Link
4310, 4300, 4301	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101481	16'-0"	16'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.15	Opt. IR Lites 15279.124	GDR-02				Link	Link	Link	Link			Link
4310, 4300, 4301	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101247	18'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15279.24	Opt. IR Lites 15279.125	GDR-02				Link	Link	Link	Link			Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104947	9'-0"	16'-0"	25	28	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1-0) 10H: 2-1/4" U-Bar (1-1-0-1-0-1) 12H: 2-1/4" U-Bar (1-1-0-1-0-1-0)	15504.07		GDR-109				Link	Link	Link	Link			Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104704	16'-0"	16'-0"	24	26	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	15504.08		GDR-109				Link	Link	Link	Link			Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104887	18'-0"	16'-0"	24	26	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15504.09		GDR-109				Link	Link	Link	Link			Link
9200, 9201, 9203	HDP20, HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104183	9'-0"	16'-0"	28	29	N	7H: 2-1/4" 24Ga U-Bar (1-1-0-1) 8H: 2-1/4" 24Ga U-Bar (1-1-0-1-0) 10H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1) 12H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1-0)	15279.10		GDR-106				Link	Link	Link	Link			Link
9200, 9201, 9203	HDP20, HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104169	16'-0"	16'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.18		GDR-106				Link	Link	Link	Link			Link
9200, 9201, 9203	HDP20, HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104260	18'-0"	16'-0"	24	24.5	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15279.26		GDR-106				Link	Link	Link	Link			Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	300159	9'-0"	16'-0"	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (1-1-1-1-1) 10H: 3" U-Bar (1-1-1-1-1-1) 12H: 3" U-Bar (1-1-1-1-1-1-1)	15504.18 15279.12	Opt. IR Lites 15504.18 15279.126	GDR-59				Link	Link	Link	Link			Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	101711	16'-0"	16'-0"	24	24.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	15279.20	Solid Only 15279.127	GDR-59				Link	Link	Link	Link			Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	101312	18'-0"	16'-0"	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.28	Opt. IR Lites 15279.128	GDR-59				Link	Link	Link	Link			Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	104946	18'-2"	16'-0"	25	27	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	17671.7	Opt. IR Lites 17671.6					Link	Link					Link
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	0	103486	9'-0"	16'-0"	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	15279.13	Solid Only 15279.130	GDR-02				Link	Link	Link	Link			Link
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	0	103454	16'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (3-2-2-2) 10H: 3" U-Bar (3-2-2-2-2) 12H: 3" U-Bar (3-2-2-2-2-2)	15279.21	Solid Only 15279.132	GDR-02				Link	Link	Link	Link			Link
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	103454	16'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (3-2-2-2) 10H: 3" U-Bar (3-2-2-2-2) 12H: 3" U-Bar (3-2-2-2-2-2)	15279.22	Solid Only 15279.133	GDR-02				Link	Link	Link	Link			Link

Residential W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL		TDI		Dade Approval	IBC Drawing	
																	Approval	Drawing	Approval	Drawing			Drawing Impact
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	0	103498	18'-0"	16'-0"	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	15279.29	Solid Only 15279.134	GDR-02				Link	Link	Link	Link		Link
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	0	105109	18'-0"	16'-0"	25	25	N	7H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1-1)	16546.52	Solid Only 16546.51					Link	Link				Link
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	105109	18'-0"	16'-0"	25	25	N	7H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1-1)	16546.54	Solid Only 16546.53					Link	Link				Link
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	103498	18'-0"	16'-0"	25	25	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	15279.30	Solid Only 15279.135	GDR-02				Link	Link	Link	Link		Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	103969	9'-0"	12'-0"	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	15279.9	Solid Only 15279.129					Link	Link				Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104029	16'-0"	12'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	15279.16	Solid Only 15279.131					Link	Link				Link
Gallery EPS GD2SP, GD2LP (Solid Only)	Gallery EPS GR2SP, GR2LP (Solid Only)	Artistry EPS AR2SP, AR2LP (Solid Only)	Expressions EPS ED2SP, ED2LP (Solid Only)	0	104017	18'-0"	12'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)							Link	Link			Link	
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104428	9'-0"	12'-0"	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	15279.140	Solid Only 15279.144					Link	Link				Link
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104429	16'-0"	12'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	15279.141	Solid Only 15279.145					Link	Link				Link
Gallery PUR GD2SU, GD2LU (Solid Only)	Gallery PUR GR2SU, GR2LU (Solid Only)	Artistry PUR AR2SU, AR2LU (Solid Only)	Expressions PUR ED2SU, ED2LU (Solid Only)	0	104430	18'-0"	12'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Solid Only 15279.142					Link	Link				Link
Grand Harbor	N/A	N/A	Stone Manor	0	103549	9'-0"	12'-0"	25	32	N	7H: 3" U-Bar (1-1-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	15279.14						Link	Link				Link
Grand Harbor	N/A	N/A	Stone Manor	0	103550	16'-0"	12'-0"	24	24.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.23						Link	Link				Link
Grand Harbor	N/A	N/A	Stone Manor	0	103551	18'-0"	12'-0"	25	25	N	7H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (0-1-0-1) 8H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	15279.31						Link	Link				Link
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	0	103046	16'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.17		GDR-02				Link	Link	Link	Link		Link
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	0	104471	9'-0"	16'-0"	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	15504.19						Link	Link				Link
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	0	104472	16'-0"	16'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	15504.20						Link	Link				Link
Coachman Premium PUR (Solid Only)	Coachman Premium PUR (Solid Only)	Settlers Premium PUR (Solid Only)	Affinity Premium PUR (Solid Only)	0	104473	18'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15504.21						Link	Link				Link

Residential W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL		TDI			Dade Approval	IBC Drawing	
																	Approval	Drawing	Approval	Drawing	Drawing Impact			
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104456	9'-0"	12'-0"	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1)	15279.11						Link	Link				Link	
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104457	16'-0"	12'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	15279.19						Link	Link				Link	
Canyon Ridge (Solid Only)	Canyon Ridge (Solid Only)	Glenmoor (Solid Only)	CustomCrafted WoodLook (Solid Only)	0	104458	18'-0"	12'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.27						Link	Link				Link	
Bridgeport Pan 24ga BD4E, BD4N, BD4EV, BD4NV	Bridgeport Pan 24ga BR4E, BR4N, BR4EV, BR4NV	Westport Pan 24ga PR4E, PR4N, PR4EV, PR4NV	Recessed Pan 24ga RR4E, RR4N, RR4EV, RR4NV	0	103486	9'-0"	16'-0"	25	32	N	7H: 3" U-Bar (1-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	16546.64	16546.63					Link	Link				Link	
Bridgeport Pan 24ga BD4E, BD4N, BD4EV, BD4NV	Bridgeport Pan 24ga BR4E, BR4N, BR4EV, BR4NV	Westport Pan 24ga PR4E, PR4N, PR4EV, PR4NV	Recessed Pan 24ga RR4E, RR4N, RR4EV, RR4NV	0	103454	16'-0"	16'-0"	25	25	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (3-2-2-2) 10H: 3" U-Bar (3-2-2-2-2) 12H: 3" U-Bar (3-2-2-2-2-2)	16546.68	16546.67					Link	Link				Link	
Bridgeport Pan 24ga BD4E, BD4N, BD4EV, BD4NV	Bridgeport Pan 24ga BR4E, BR4N, BR4EV, BR4NV	Westport Pan 24ga PR4E, PR4N, PR4EV, PR4NV	Recessed Pan 24ga RR4E, RR4N, RR4EV, RR4NV	0	105109	18'-0"	16'-0"	25	25	N	7H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-1-1-1-1-1)	16546.54	Solid Only 16546.53					Link	Link				Link	
Bridgeport PUR BD2NU, BD2EU	Bridgeport PUR BR2NU, BR2EU	Westport PUR PR2NU, PR2EU	Recessed Pan PUR RR2NU, RR2EU	0	104428	9'-0"	12'-0"	28	29	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1) 10H: 2-1/4" U-Bar (1-1-0-1-1) 12H: 2-1/4" U-Bar (1-1-0-1-1-1)	16546.75	Solid Only 16546.74					Link	Link				Link	
Bridgeport PUR BD2NU, BD2EU	Bridgeport PUR BR2NU, BR2EU	Westport PUR PR2NU, PR2EU	Recessed Pan PUR RR2NU, RR2EU	0	104429	16'-0"	12'-0"	25.5	25.5	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	16546.77	Solid Only 16546.76					Link	Link				Link	
Bridgeport PUR BD2NU, BD2EU	Bridgeport PUR BR2NU, BR2EU	Westport PUR PR2NU, PR2EU	Recessed Pan PUR RR2NU, RR2EU	0	104430	18'-0"	12'-0"	25	25	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Solid Only 16546.78				Link	Link				Link		
AX, AXU	N/A	N/A	N/A	N/A	105334	12'-2"	16'-0"	25	25	N	Same as Standard based on glazing.	32009.01		GDR-155				Link	Link	Link	Link			Link
AX, AXU	N/A	N/A	N/A	N/A	105581	16'-2"	16'-0"	25	25	Y	1-1/4" x 1-1/4" Aluminum Angle (2-1-1-1)	32009.02		GDR-155				Link	Link	Link	Link			Link
AX, AXU	N/A	N/A	N/A	N/A	105619	18'-2"	16'-0"	25	25	Y	2" x 2" Aluminum Angle (2-1-1-1)	32009.03		GDR-155				Link	Link	Link	Link			Link
AX, AXU	N/A	N/A	N/A	N/A	105633	20'-2"	16'-0"	25	25	Y	4" 80 KSI T-Strut (1-1-1-1)	32009.04		GDR-155				Link	Link	Link	Link			Link

Residential W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Styles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL		TDI		TDI Drawing Impact	Dade Approval	IBC Drawing	
																	Approval	Drawing	Approval	Drawing				
73, 76, 76V, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	2RST, 4RST, 6RST, 4RSF, 6RSF		102110	9'-0"	16'-0"	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.37	Opt. IR Lites 15279.36	GDR-59				Link	Link	Link	Link			Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	104698	16'-0"	16'-0"	28	30.5	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15504.4	Opt. IR Lites 15504.3					Link	Link					Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	0	101593	16'-0"	16'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15279.53	Opt. IR Lites 15279.52	GDR-59				Link	Link	Link	Link			Link
76, 76V	N/A	N/A	2RST	0	101593	16'-0"	16'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15279.54	Solid Only 15279.55	GDR-59 Not 76V				Link	Link	Link	Link			Link
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST	0	101922	16'-0"	16'-0"	32	32	N	7H: 3" U-Bar (2-2-2-2) * HY 8H: 3" U-Bar (2-2-2-2-2) * HY 10H: 3" U-Bar (2-2-2-2-2-2) * HY 12H: 3" U-Bar (2-2-2-2-2-2-2) * HY	16546.2	Opt. IR Lites 16546.1	GDR-59				Link	Link	Link	Link			Link
76	N/A	N/A	2RST	0	101922	16'-0"	16'-0"	32	32	N	7H: 3" U-Bar (2-2-2-2) * HY 8H: 3" U-Bar (2-2-2-2-2) * HY 10H: 3" U-Bar (2-2-2-2-2-2) * HY 12H: 3" U-Bar (2-2-2-2-2-2-2) * HY	16546.2	Opt. IR Lites 16546.1					Link	Link	Link	Link			Link
94	84A	48, 48B	4RST	0	101922	16'-0"	16'-0"	34	35	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2) HY*		Solid Only 15279.69				Link	Link	Link	Link			Link	
94, 4F	84A	48, 48B	4RST, 4RSF	0	105101	20'-2"	16'-0"	30	32	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	16546.49						Link	Link					Link
73SP, 15SP, 76SP, 76VSP	N/A	N/A	N/A	0	103556	9'-0"	8'-0"	32	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	15279.39	Opt. IR Lites 15279.40					Link	Link					Link
73SP, 15SP	N/A	N/A	N/A	0	103723	16'-0"	8'-0"	32	37	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.59	Opt. IR Lites 15279.58					Link	Link					Link
76SP, 76VSP (Solid Only)	N/A	N/A	N/A	0	103723	16'-0"	8'-0"	32	37	N	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.60	Solid Only 15279.61					Link	Link					Link
73SP, 15SP	N/A	N/A	N/A	0	104818	16'-0"	8'-0"	32	37	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16546.9	Opt. IR Lites 16546.8					Link	Link					Link
76SP, 76VSP (Solid Only)	N/A	N/A	N/A	0	104818	16'-0"	8'-0"	32	37	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)		Solid Only 16546.8					Link	Link					Link
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	0	101595	16'-0"	8'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2)	15279.44	Solid Only 15279.45					Link	Link					Link
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	0	102185	16'-0"	8'-0"	32	32	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2-2) HY*	15279.66	Solid Only 15279.67					Link	Link					Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104866	9'-0"	16'-0"	33	37	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15504.10	Opt. IR Lites 15504.15	GDR-109				Link	Link	Link		Link		Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104723	16'-0"	16'-0"	32	32	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15504.11	Opt. IR Lites 15504.16					Link	Link					Link
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104191	16'-0"	16'-0"	32	32	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)			GDR-109				Link		Link		Link		Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	104945	20'-2"	16'-0"	30	33	N	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	17671.8						Link	Link					Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104188	9'-0"	16'-0"	30	32	N	7H: 2-1/4" U-Bar (1-1-0-1) 8H: 2-1/4" U-Bar (1-1-0-1-0) 10H: 2-1/4" U-Bar (1-1-0-1-0-1) 12H: 2-1/4" U-Bar (1-1-0-1-0-1-0)	15279.34						Link	Link					Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artisty Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	102110	9'-0"	16'-0"	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.37	Solid Only 15279.36					Link	Link	Link	Link			Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artisty Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	101593	16'-0"	16'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15279.53	Solid Only 15279.52					Link	Link	Link	Link			Link
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artisty Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	0	101922	16'-0"	16'-0"	32	32	N	7H: 3" U-Bar (2-2-2-2) * HY 8H: 3" U-Bar (2-2-2-2-2) * HY 10H: 3" U-Bar (2-2-2-2-2-2) * HY 12H: 3" U-Bar (2-2-2-2-2-2-2) * HY	16546.2	Solid Only 16546.1					Link	Link	Link	Link			Link

Residential W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door	Door	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida	TDI Listed Standard	TDI Listed	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI	Dade Approval	IBC Drawing	
						Width (Max) Ft- In2	Height (Max) Ft- In						Approved Impact Resistant		Impact Resistant						Drawing Impact			
GD5SSP, GD5SPV	N/A	N/A	N/A	0	104818	16'-0"	8'-0"	32	37	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16107.48	Solid Only 16107.47					Link	Link					Link
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	0	103487	9'-0"	12'-0"	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	15279.38		GDR-02			Link	Link	Link	Link			Link	
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	0	103471	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2) 10H: 3" U-Bar (3-2-3-2-3) 12H: 3" U-Bar (3-2-3-2-3-2)	15279.56		GDR-02			Link	Link	Link	Link			Link	
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	103471	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2) 10H: 3" U-Bar (3-2-3-2-3) 12H: 3" U-Bar (3-2-3-2-3-2)	15279.57		GDR-02			Link	Link	Link	Link			Link	
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	0	103971	9'-0"	12'-0"	30	32	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)	15279.32					Link	Link					Link	
Gallery EPS GD1SP, GD1LP (Solid Only)	Gallery EPS GR1SP, GR1LP (Solid Only)	Artistry EPS AR1SP, AR1LP (Solid Only)	Expressions EPS ED1SP, ED1LP (Solid Only)	0	104004	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2) HY* 10H: 3" U-Bar (2-2-2-2-2) HY* 12H: 3" U-Bar (2-2-2-2-2-2) HY*	15279.46					Link	Link					Link	
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104030	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.47					Link	Link					Link	
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104944	20'-2"	16'-0"	30	33	N	7H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1-1)	17671.9					Link	Link					Link	
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	0	104426	9'-0"	12'-0"	30	32	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)	15279.138					Link	Link					Link	
Gallery PUR GD1SU, GD1LU (Solid Only)	Gallery PUR GR1SU, GR1LU (Solid Only)	Artistry PUR AR1SU, AR1LU (Solid Only)	Expressions PUR ED1SU, ED1LU (Solid Only)	0	104427	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2) HY* 10H: 3" U-Bar (2-2-2-2-2) HY* 12H: 3" U-Bar (2-2-2-2-2-2) HY*	15279.139					Link	Link					Link	
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104431	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.143					Link	Link					Link	
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	0	104944	20'-2"	16'-0"	30	33	N	7H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1-1)	17671.9					Link	Link					Link	
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	0	104944	20'-2"	16'-0"	30	33	N	7H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1-1)	17671.9					Link	Link					Link	
Grand Harbor	N/A	N/A	Stone Manor	0	103552	9'-0"	12'-0"	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	15279.41					Link	Link					Link	
Grand Harbor	N/A	N/A	Stone Manor	0	103553	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2) 10H: 3" U-Bar (3-2-3-2-3) 12H: 3" U-Bar (3-2-3-2-3-2)	15279.62					Link	Link					Link	
Coachman	Coachman	Settlers	Affinity	0	102996	9'-0"	12'-0"	33	37	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	15279.33		GDR-02			Link	Link	Link	Link			Link	
Coachman (Solid Only)	Coachman (Solid Only)	Settlers (Solid Only)	Affinity (Solid Only)	0	102997	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) HY* 8H: 3" U-Bar (2-2-2-2) HY* 10H: 3" U-Bar (2-2-2-2-2) HY* 12H: 3" U-Bar (2-2-2-2-2-2) HY*	15279.48					Link	Link					Link	
Coachman Premium	Coachman Premium	Settlers	Affinity Gold	0	103710	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.49		GDR-02			Link	Link	Link	Link			Link	

Residential W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door	Door	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida	Florida	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing	
						Width (Max) Ft- In2	Height (Max) Ft- In					Approved Impact Resistant	TDI Listed Standard										
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	104474	16'-0"	16'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)											Link	
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104459	9'-0"	10'-0"	30	32	N	7H: 2-1/4" U-Bar (2-1-2-1) 8H: 2-1/4" U-Bar (2-1-2-1) 10H: 2-1/4" U-Bar (2-1-2-1-2) 12H: 2-1/4" U-Bar (2-1-2-1-2-1)	15279.35					Link	Link					Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104264	16'-0"	10'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.51					Link	Link					Link
AX, AXU	N/A	N/A	N/A	0	105621	10'-2"	16'-0"	30	30	N	Same as Standard based on glazing.	32009.06			GDR-155		Link	Link	Link	Link			Link
AX, AXU	N/A	N/A	N/A	0	105622	12'-2"	16'-0"	32	32	Y	1-1/4" x 1-1/4" Aluminum Angle (2-1-1-1)	32009.07			GDR-155		Link	Link	Link	Link			Link
AX, AXU	N/A	N/A	N/A	0	105525	16'-2"	16'-0"	32	32	Y	2" x 2" Aluminum Angle (2-1-1-1)	32009.08			GDR-155		Link	Link	Link	Link			Link
AX, AXU	N/A	N/A	N/A	0	105623	20'-2"	16'-0"	30	30	Y	4" 80 KSI T-Strut (1-1-1-1)	32009.09			GDR-155		Link	Link	Link	Link			Link
Reserve Coll. (Hemlock Only)	Reserve Coll. (Hemlock Only)	N/A	N/A	0	102536	16'-0"	8'-0"	30	33.3	N	7H: 4" C-Channel (1-1-1) 8H: 4" C-Channel (1-1-1-1)	15279.63					Link	Link					Link
Reserve Coll. (Hemlock Only)	Reserve Coll. (Hemlock Only)	N/A	N/A	0	105116	18'-0"	8'-0"	32	36	N	7H: 80ksi T-Strut (1-1-1) and 80ksi 3" U-Bar (1-1-1) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1)	16546.48					Link	Link					Link
Bridgeport Pan 24ga BD4E, BD4N, BD4EV, BD4NV	Bridgeport Pan 24ga BR4E, BR4N, BR4EV, BR4NV	Westport Pan 24ga PR4E, PR4N, PR4EV, PR4NV	Recessed Pan 24ga RR4E, RR4N, RR4EV, RR4NV	0	103471	16'-0"	12'-0"	30	30	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2) 10H: 3" U-Bar (3-2-3-2-3) 12H: 3" U-Bar (3-2-3-2-3-2)	16546.71					Link	Link					Link
Bridgeport Pan 24ga BD4E, BD4N, BD4EV, BD4NV	Bridgeport Pan 24ga BR4E, BR4N, BR4EV, BR4NV	Westport Pan 24ga PR4E, PR4N, PR4EV, PR4NV	Recessed Pan 24ga RR4E, RR4N, RR4EV, RR4NV	0	103487	9'-0"	12'-0"	30	32	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2) 12H: 3" U-Bar (2-1-2-1-2-1)	16546.69					Link	Link					Link

Residential W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers		Holmes Model Numbers	Ideal Dealer Model Numbers		Drawing Number						Florida Approved Standard					FL Approval		TX Approval		e Approval				
Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing	
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	0	101348	9'-0"	16'-0"	38	42	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	15279.85	Opt. IR Lites 15279.84				Link	Link					Link	
73, 76, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST, 2RST	0	101348	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	16107.25	Opt. IR Lites 16107.24		Opt. IR Lites GDR-59		Link	Link	Link		Link			Link
73, 76, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST, 2RST	0	101539	16'-2"	16'-0"	37	41	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.102	Opt. IR Lites 15279.101				Link	Link					Link	
76	N/A	N/A	2RST	0	101539	16'-2"	16'-0"	37	41	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)		Solid Only 15279.103				Link	Link					Link	
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	0	101485	18'-2"	16'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)	15279.120	Opt. IR Lites 15279.119				Link	Link					Link	
94	84A	48, 48B	4RST	0	101485	18'-2"	16'-0"	37	39	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)	15279.118	Opt. IR Lites 15279.117				Link	Link					Link	
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	0	104710	16'-2"	16'-0"	36	42	Y	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16546.5	Opt. IR Lites 16546.4		Opt. IR Lites GDR-59		Link	Link	Link		Link		Link	
76	N/A	N/A	2RST	0	104710	16'-2"	16'-0"	36	42	Y	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16546.7	Solid Only 16546.6				Link	Link					Link	
94	84A	48, 48B	4RST	0	104753	16'-2"	16'-0"	38	42	Y	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16107.6	Opt. IR Lites 16107.5		Opt. IR Lites GDR-59	Opt. IR Lites 22-1220.01 Exp 2/14/24	Link	Link	Link		Link	Link	Link	
73	75	42, 42B	6RST	0	104761	18'-2"	16'-0"	36	42	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 10H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0) 12H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1)	16107.12	Opt. IR Lites 16107.11		Opt. IR Lites GDR-59		Link	Link	Link		Link		Link	
94	84A	48, 48B	4RST	0	104761	18'-2"	16'-0"	36	42	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 10H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0) 12H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1)	16107.12	Opt. IR Lites 16107.11		Opt. IR Lites GDR-59	Opt. IR Lites 20-0922.17 Exp 4/11/23	Link	Link	Link		Link	Link	Link	
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	0	101654	9'-0"	16'-0"	37	37	N	7H: 2-1/4" U-Bar (2-1-1-1-1) * HY 8H: 2-1/4" U-Bar (2-1-1-1-1-1) * HY 10H: 2-1/4" U-Bar (2-1-1-1-1-1-1) * HY 12H: 2-1/4" U-Bar (2-1-1-1-1-1-1-1) * HY	15279.72					Link	Link					Link	
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	0	104814	9'-0"	16'-0"	36	44	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	16546.11	Solid Only 16546.10				Link	Link					Link	
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101526	9'-0"	16'-0"	37	40	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1-1)	15279.74	Opt. IR Lites 15279.73				Link	Link					Link	
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101486	16'-2"	12'-0"	37	40	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.93	Opt. IR Lites 15279.94				Link	Link					Link	
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101487	18'-2"	10'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)	15279.111	Opt. IR Lites 15279.110				Link	Link					Link	
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101526	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1-1)	15504.13 16107.23	Opt. IR Lites 15504.12 16107.22		Opt. IR Lites GDR-02		Link	Link	Link		Link		Link	

Residential W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers		Holmes Model Numbers	Ideal Dealer Model Numbers		Drawing Number						Florida Approved Standard					FL Approval		TX Approval		e Approval			
Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	104724	16'-2"	16'-0"	38	42	Y	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16107.2	Opt. IR Lites 16107.1		Opt. IR Lites GDR-02	Opt. IR Lites 22-1019.03 Exp 12/27/23	Link	Link	Link		Link	Link	Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	104751	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	16107.8	Opt. IR Lites 16107.7		Opt. IR Lites GDR-02	Opt. IR Lites 22-1130.06 Exp 2/7/24	Link	Link	Link		Link	Link	Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	104943	20'-2"	16'-0"	37	40	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	16546.46	Opt. Short IR Lites 16546.45			Opt. IR Lites 21-0728.03 Exp 9/29/26	Link	Link			Link	Link	
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	0	104180	9'-0"	16'-0"	37	37	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.79					Link	Link				Link	
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104184	9'-0"	16'-0"	37	40	N	7H: 3" U-Bar (1-1-0-1) 8H: 3" U-Bar (1-1-1-0-1) 10H: 3" U-Bar (1-1-1-1-0-1) 12H: 3" U-Bar (1-1-1-1-1-0-1)	15279.81	Opt. IR Lites 15279.80				Link	Link				Link	
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104184	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	15279.81 16107.42	Opt. IR Lites 15279.80 16107.41		Opt. IR Lites GDR-106		Link	Link	Link		Link	Link	
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104234	16'-2"	16'-0"	37	40	Y	7H: 3" 80 KSI U-Bar (2-2-2-2) 8H: 3" 80 KSI U-Bar (2-2-2-2-2) 10H: 3" 80 KSI U-Bar (2-2-2-2-2-2) 12H: 3" 80 KSI U-Bar (2-2-2-2-2-2-2)	15279.99	Opt. IR Lites 15279.98				Link	Link				Link	
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104879	16'-2"	16'-0"	38	42	Y	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16107.44	Opt. IR Lites 16107.43		Opt. IR Lites GDR-106		Link	Link	Link		Link	Link	
9200, 9201, 9203 (Solid Only)	HDP20 HDPF20, HDPL20 (Solid Only)	7200, 7201, 7203 (Solid Only)	8200, 8201, 8203 (Solid Only)	0	104261	18'-2"	16'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Solid Only 15279.114				Link	Link				Link	
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104777	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	16107.10	Opt. IR Lites 16107.09		Opt. IR Lites GDR-106		Link	Link	Link		Link	Link	
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	0	101348	9'-0"	16'-0"	38	42	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	15279.85	Solid Only 15279.84				Link	Link				Link	
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	0	101539	16'-2"	16'-0"	37	41	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 4" C-Channel (1-1-1-1-1-1) 10H: 4" C-Channel (1-1-1-1-1-1-1) 12H: 4" C-Channel (1-1-1-1-1-1-1-1)	15279.102	Solid Only 15279.101				Link	Link				Link	
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	0	101485	18'-2"	16'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)	15279.120	Solid Only 15279.119				Link	Link				Link	
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	0	101348	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	16107.25	Solid Only 16107.24		Opt. IR Lites GDR-59		Link	Link	Link		Link	Link	
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	0	104710	16'-2"	16'-0"	36	42	Y	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16546.5	Solid Only 16546.4		Solid Only GDR-59		Link	Link	Link		Link	Link	
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	0	104761	18'-2"	16'-0"	36	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	16107.12	Solid Only 16107.11		Solid Only GDR-59		Link	Link	Link		Link	Link	
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	103488	9'-0"	16'-0"	37	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.87	Solid Only 15279.86	GDR-02			Link	Link	Link	Link		Link	
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	103488	9'-0"	16'-0"	37	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)	15279.88	Solid Only 15279.89	GDR-02			Link	Link	Link	Link		Link	
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	103489	16'-2"	12'-0"	37	41	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)	15279.105	Solid Only 15279.104	GDR-02			Link	Link	Link	Link		Link	

Residential W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers		Holmes Model Numbers	Ideal Dealer Model Numbers		Drawing Number						Florida Approved Standard					FL Approval		TX Approval		e Approval			
Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft.-In2	Door Height (Max) Ft.-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	103489	16'-2"	12'-0"	37	41	Y	7H: 4" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1)	15279.106	Solid Only 15279.107	GDR-02			Link	Link	Link	Link			Link
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	103406	18'-2"	7'-0"	37	39	Y	7H: 6" C-Channel (1-1-1-1-1)	15279.122	Solid Only 15279.121				Link	Link	Link	Link			Link
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	103488	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-2-1-1) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	16107.33	Opt. IR Lites 16107.32				Link	Link					Link
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	103488	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-2-1-1) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	16107.35	Opt. IR Lites 16107.34				Link	Link					Link
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	104790	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1) and (1) 3" 80ksi u-bar 10H: 80ksi T-Strut (1-1-1-1-1-1) and (1) 3" 80ksi u-bar 12H: 80ksi T-Strut (1-1-1-1-1-1-1) and (1) 3" 80ksi u-bar	16107.37	Opt. IR Lites 16107.36				Link	Link					Link
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	0	104790	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1) and (1) 3" 80ksi u-bar 10H: 80ksi T-Strut (1-1-1-1-1-1) and (1) 3" 80ksi u-bar 12H: 80ksi T-Strut (1-1-1-1-1-1-1) and (1) 3" 80ksi u-bar	16107.39	Opt. IR Lites 16107.38				Link	Link					Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	103954	9'-0"	16'-0"	38	42	N	7H: 3" U-Bar (2-1-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1-1)	16546.27	16546.26				Link	Link				Link	Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104009	16'-2"	12'-0"	37	40	Y	7H: 4" 14-ga C-Channel (1-1-1-1-1) 8H: 4" 14-ga C-Channel (1-1-1-1-1) 10H: 4" 14-ga C-Channel (1-1-1-1-1-1) 12H: 4" 14-ga C-Channel (1-1-1-1-1-1-1)	15279.96	Solid Only 15279.95				Link	Link					Link
Gallery EPS GD2SP, GD2LP (Solid Only)	Gallery EPS GR2SP, GR2LP (Solid Only)	Artistry EPS AR2SP, AR2LP (Solid Only)	Expressions EPS ED2SP, ED2LP (Solid Only)	0	104013	18'-2"	12'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Solid Only 15279.112				Link	Link					Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	103954	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1-1)	16546.27	Opt. IR Lites 16546.26		Opt. IR Lites GDR-02	Opt. IR Lites 20-0922.45 Exp 2/5/25	Link	Link	Link		Link	Link	Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104785	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.24	Opt. IR Lites 16546.23		Opt. IR Lites GDR-02	Opt. IR Lites 20-0922.32 Exp 7/18/23	Link	Link	Link		Link	Link	Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104810	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 8H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 10H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1)	16546.17	Opt. IR Lites 16546.16		Opt. IR Lites GDR-02	Opt. IR Lites 22-0203.03 Exp 3/30/27	Link	Link	Link		Link	Link	Link
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104432	9'-0"	12'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1-1) 8H: 3" U-Bar (2-1-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	16546.13	Opt. IR Lites 16546.12		Opt. IR Lites GDR-106		Link	Link	Link		Link		Link
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104433	16'-2"	12'-0"	37	40	Y	7H: 4" 14-ga C-Channel (1-1-1-1-1) 8H: 4" 14-ga C-Channel (1-1-1-1-1) 10H: 4" 14-ga C-Channel (1-1-1-1-1-1) 12H: 4" 14-ga C-Channel (1-1-1-1-1-1-1)												Link
Gallery PUR GD2SU, GD2LU (Solid Only)	Gallery PUR GR2SU, GR2LU (Solid Only)	Artistry PUR AR2SU, AR2LU (Solid Only)	Expressions PUR ED2SU, ED2LU (Solid Only)	0	104434	18'-2"	12'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1)												Link
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104820	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.15	Opt. IR Lites 16546.14		Opt. IR Lites GDR-106		Link	Link	Link		Link		Link

Residential W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers		Holmes Model Numbers	Ideal Dealer Model Numbers		Drawing Number						Florida Approved Standard					FL Approval		TX Approval			e Approval		
Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104821	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.19	Opt. IR Lites 16546.18		Opt. IR Lites GDR-106		Link	Link	Link		Link		Link
Modern EPS Flush/Grooved 4302, 4305	Modern EPS Flush/Grooved HDGC, HDGR	Modern EPS Flush/Grooved 6202, 6205	Modern EPS Flush/Grooved SFC68, SFR68	EPS Cypress MFC68	103954	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1-1)	16546.27	Opt. IR Lites 16546.26		Opt. IR Lites GDR-02	4302 HDGC 6202 SFC68 only Opt. IR Lites 20-0922.45 Exp 2/5/25	Link	Link	Link		Link	Link	Link
Modern EPS Flush/Grooved 4302, 4305	Modern EPS Flush/Grooved HDGC, HDGR	Modern EPS Flush/Grooved 6202, 6205	Modern EPS Flush/Grooved SFC68, SFR68	EPS Cypress MFC68	104785	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1)	16546.24	Opt. IR Lites 16546.23			4302 HDGC 6202 SFC68 only Opt. IR Lites 20-0922.32 Exp 7/18/23	Link	Link	Link		Link	Link	Link
Modern EPS Flush/Grooved 4302, 4305	Modern EPS Flush/Grooved HDGC, HDGR	Modern EPS Flush/Grooved 6202, 6205	Modern EPS Flush/Grooved SFC68, SFR68	EPS Cypress MFC68	104810	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.17	Opt. IR Lites 16546.16		Opt. IR Lites GDR-02	Opt. IR Lites 22-0203.03 Exp 3/30/27	Link	Link	Link		Link	Link	Link
Modern PUR Flush/Grooved 9202, 9205	Modern PUR Flush/Grooved HDPC20, HDPR20	Modern PUR Flush/Grooved 7202, 7205	Modern PUR Flush/Grooved 8202, 8205	PUR Cypress MFC68U	104432	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	16546.13	Opt. IR Lites 16546.12				Link	Link				Link	
Modern PUR Flush/Grooved 9202, 9205	Modern PUR Flush/Grooved HDPC20, HDPR20	Modern PUR Flush/Grooved 7202, 7205	Modern PUR Flush/Grooved 8202, 8205	PUR Cypress MFC68U	104820	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1)	16546.15	Opt. IR Lites 16546.14				Link	Link					Link
Modern PUR Flush/Grooved 9202, 9205	Modern PUR Flush/Grooved HDPC20, HDPR20	Modern PUR Flush/Grooved 7202, 7205	Modern PUR Flush/Grooved 8202, 8205	PUR Cypress MFC68U	104821	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.19	Opt. IR Lites 16546.18				Link	Link					Link
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	Modern PUR Flush/Grooved MFC68U	104859	9'-2"	16'-0"	38	42	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)	16546.38	Opt. IR Lites 16546.37	GDR-150	GDR-150		Link	Link	Link	Link	Link		Link
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	Modern PUR Flush/Grooved MFC68U	105042	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0-0) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0-0-0)	16546.40	Opt. IR Lites 16546.39	GDR-150	GDR-150		Link	Link	Link	Link	Link		Link
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	Modern PUR Flush/Grooved MFC68U	105188	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1)	16546.56	Opt. IR Lites 16546.55	GDR-150	GDR-150	Opt. IR Lites 22-1019.02 Exp 11/21/27	Link	Link	Link	Link	Link	Link	Link
Grand Harbor	N/A	N/A	Stone Manor	0	103554	9'-0"	12'-0"	37	37	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)	15279.90	Solid Only 15279.91				Link	Link					Link
Grand Harbor	N/A	N/A	Stone Manor	0	103555	16'-2"	12'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1)	15279.108	Solid Only 15279.109				Link	Link					Link

Residential W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers		Holmes Model Number	Ideal Dealer Model Numbers		Drawing Number						Florida Approved Standard					FL Approval		TX Approval		e Approval			
Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Styles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
Grand Harbor	N/A	N/A	Stone Manor	0	104790	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) and (1) 3" 80ksi u-bar 10H: 80ksi T-Strut (1-1-1-1-1) and (1) 3" 80ksi u-bar 12H: 80ksi T-Strut (1-1-1-1-1-1) and (1) 3" 80ksi u-bar	16107.52	Solid Only 16107.51				Link	Link					Link
Coachman Premium EPS	Coachman Premium EPS	Settlers EPS	Affinity Gold EPS	0	103223	9'-0"	12'-0"	38	42	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	15279.78	Solid Only 15279.77	GDR-02			Link	Link	Link	Link			Link
Coachman Premium EPS (Solid Only)	Coachman Premium EPS (Solid Only)	Settlers EPS (Solid Only)	Affinity Gold EPS (Solid Only)	0	103243	16'-2"	12'-0"	37	40	Y	7H: 4" 14-ga C-Channel (1-1-1-1) 8H: 4" 14-ga C-Channel (1-1-1-1) 10H: 4" 14-ga C-Channel (1-1-1-1-1) 12H: 4" 14-ga C-Channel (1-1-1-1-1-1)		Solid Only 15279.97	GDR-02			Link	Link	Link	Link			Link
Coachman Premium EPS (Solid Only)	Coachman Premium EPS (Solid Only)	Settlers EPS (Solid Only)	Affinity Gold EPS (Solid Only)	0	103519	18'-2"	12'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1)		Solid Only 15279.113	GDR-02			Link	Link	Link	Link			Link
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	104475	9'-0"	12'-0"	38	42	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)											Link	
Coachman Premium PUR (Solid Only)	Coachman Premium PUR (Solid Only)	Settlers PUR (Solid Only)	Affinity Gold PUR (Solid Only)	0	104476	16'-2"	12'-0"	37.5	40	Y	7H: 4" 14-ga C-Channel (1-1-1-1) 8H: 4" 14-ga C-Channel (1-1-1-1) 10H: 4" 14-ga C-Channel (1-1-1-1-1) 12H: 4" 14-ga C-Channel (1-1-1-1-1-1)												Link
Coachman Premium PUR (Solid Only)	Coachman Premium PUR (Solid Only)	Settlers PUR (Solid Only)	Affinity Gold PUR (Solid Only)	0	104477	18'-2"	12'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1)												Link
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	104948	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	16546.29	Optional IR Lites 16546.28		GDR-113	Opt. IR Lites 20-0819.03 Exp 11/25/25	Link	Link	Link		Link	Link	Link
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	105421	10'-0"	16'-0"	38	44	N	7H: 50ksi T-Strut (1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1)	16546.58	Optional IR Lites 16546.57				Link	Link					Link
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	104932	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1)	16546.31	Optional IR Lites 16546.30		GDR-113	Opt. IR Lites 20-0811.01 Exp 10/15/25	Link	Link	Link		Link	Link	Link
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	104951	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.34	Optional IR Lites 16546.33		GDR-113	Opt. IR Lites 20-0922.24 Exp 10/29/25	Link	Link	Link		Link	Link	Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104265	9'-0"	12'-0"	38	42	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	15279.83	Solid Only 15279.82				Link	Link					Link
Canyon Ridge (Solid Only)	Canyon Ridge (Solid Only)	Glenmoor (Solid Only)	CustomCrafted WoodLook (Solid Only)	0	104266	16'-2"	12'-0"	37	40	Y	7H: 4" 14-ga C-Channel (1-1-1-1) 8H: 4" 14-ga C-Channel (1-1-1-1) 10H: 4" 14-ga C-Channel (1-1-1-1-1) 12H: 4" 14-ga C-Channel (1-1-1-1-1-1)		Solid Only 15279.100				Link	Link					Link
Canyon Ridge (Solid Only)	Canyon Ridge (Solid Only)	Glenmoor (Solid Only)	CustomCrafted WoodLook (Solid Only)	0	104267	18'-2"	12'-0"	37	37	Y	7H: 6" C-Channel (1-1-1-1) 8H: 6" C-Channel (1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1)		Solid Only 15279.116				Link	Link					Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104948	9'-0"	16'-0"	38	44	N	7H: 3" U-Bar (2-1-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	16546.29	Optional IR Lites 16546.28		GDR-113	Opt. IR Lites 20-0819.03 Exp 11/25/25	Link	Link	Link		Link	Link	Link
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	0	105421	10'-0"	16'-0"	38	44	N	7H: 50ksi T-Strut (1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1)	16546.58	Optional IR Lites 16546.57				Link	Link					Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104932	16'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1)	16546.31	Optional IR Lites 16546.30		GDR-113	Opt. IR Lites 20-0811.01 Exp 10/15/25	Link	Link	Link		Link	Link	Link

Residential W6 DOOR LIST — Clopay Building Products Co.

Holmes Model											Florida Approved Standard											FL Approval		TX Approval			IBC Approval																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Clopay Dealer Model Numbers		Clopay Retail Model Numbers		Holmes Model Numbers		Ideal Dealer Model Numbers		Ideal Retail Model Numbers		Drawing Number		Door Width (Max) Ft-In2		Door Height (Max) Ft-In		+DP (PSF)		-DP (PSF)		Double End Stiles		Horizontal Reinforcement		Florida Approved Standard		Florida Approved Impact Resistant		TDI Listed Standard		TDI Listed Impact Resistant		Dade Listed		FL Approval		FL Drawing		TDI Approval		TDI Drawing		TDI Drawing Impact		Dade Approval		IBC Drawing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104951	18'-2"	16'-0"	38	42	Y	7H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.34	Optional IR Lites 16546.33		GDR-113	Opt. IR Lites 20-0922.24 Exp 10/29/25	Link	Link	Link		Link	Link	Link	Link																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

Residential W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer		Holmes	Ideal Dealer		Drawing Number						Florida Approved Standard					FL Approval		TX Approval			e Approval		
Model Numbers		Model Numbers	Model Numbers		Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
Bridgeport PUR BD2NU, BD2EU	Bridgeport PUR BR2NU, BR2EU	Westport PUR PR2NU, PR2EU	Recessed Pan PUR RR2NU, RR2EU	0	104821	18'-2"	16'-0"	38	42	Y	7'H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8'H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10'H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.19	Opt. IR Lites 16546.18				Link	Link					Link
AX, AXU	N/A	N/A	N/A	N/A	105824	9'-2"	16'-0"	40	44	N	2" x 2" Aluminum Angle (2-1-1-1)	32009.10					Link	Link					Link
AX, AXU	N/A	N/A	N/A	N/A	105825	12'-2"	16'-0"	40	44	Y	3" x 2" Aluminum Angle (2-1-1-1)	32009.11					Link	Link					Link
AX, AXU	N/A	N/A	N/A	N/A	105826	16'-2"	16'-0"	40	42	Y	3" x 2" Aluminum Angle (2-1-1-1)	32009.12					Link	Link					Link
AX, AXU	N/A	N/A	N/A	N/A	105827	18'-2"	16'-0"	36	40	Y	3" x 2" Aluminum Angle (2-1-1-1)	32009.13					Link	Link					Link
AX, AXU	N/A	N/A	N/A	N/A	105882	20'-2"	16'-0"	36	40	Y	3" x 2" Aluminum Angle (2-1-1-1)	32009.14					Link	Link					Link

Residential W7 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door	Door	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida	TDI Listed Standard	TDI Listed	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI	Dade Approval	IBC Drawing
						Width (Max) Ft- In2	Height (Max) Ft- In						Approved Impact Resistant		Impact Resistant						Drawing Impact		
73	75	42, 42B	6RST	N/A	101702	9'-0"	12'-0"	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2) 10H: 2-1/4" U-Bar (2-2-1-2-2-2) 12H: 2-1/4" U-Bar (2-2-1-2-2-2-2)		Opt. IR Lites 5684.2				Link	Link					Link
94	84A	48, 48B	4RST	N/A	101702	9'-0"	16'-0"	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2) 10H: 2-1/4" U-Bar (2-2-1-2-2-2) 12H: 2-1/4" U-Bar (2-2-1-2-2-2-2)		Opt. IR Lites 5684.2		Opt. IR Lites GDR-59	Opt. IR Lites 20-0922.40 Exp 8/21/24	Link	Link	Link		Link	Link	
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	N/A	101309	16'-2"	12'-0"	42	48	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Opt. IR Lites 5684.3				Link	Link					Link
94	84A	48, 48B	4RST	N/A	102621	18'-2"	12'-0"	42	46	Y	7H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (2-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1-1)		Solid Only 5684.4				Link	Link					Link
94	84A	48, 48B	4RST, 4F	N/A	104762	18'-2"	16'-0"	41	46	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (2-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1-1)		Opt. IR Lites 16107.13			Opt. IR Lites 23-0126.04 Exp 3/7/24	Link	Link				Link	Link
73	75	42, 42B	6RST	N/A	101702	9'-0"	12'-0"	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2) 10H: 2-1/4" U-Bar (2-2-1-2-2-2) 12H: 2-1/4" U-Bar (2-2-1-2-2-2-2)		Opt. IR Lites 5684.2				Link	Link					Link
94	84A	48, 48B	4RST	N/A	101702	9'-0"	16'-0"	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2) 10H: 2-1/4" U-Bar (2-2-1-2-2-2) 12H: 2-1/4" U-Bar (2-2-1-2-2-2-2)		Opt. IR Lites 5684.2		Opt. IR Lites GDR-59	Opt. IR Lites 20-0922.40 Exp 8/21/24	Link	Link	Link		Link	Link	
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	N/A	101309	16'-2"	12'-0"	42	48	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Opt. IR Lites 5684.3				Link	Link					Link
94	84A	48, 48B	4RST	N/A	102621	18'-2"	12'-0"	42	46	Y	7H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (2-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1-1)		Solid Only 5684.4				Link	Link					Link
94	84A	48, 48B	4RST, 4F	N/A	104762	18'-2"	16'-0"	41	46	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (2-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1-1)		Opt. IR Lites 16107.13			Opt. IR Lites 23-0126.04 Exp 3/7/24	Link	Link				Link	Link
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	N/A	101702	9'-0"	16'-0"	42	48	N	7H: 2-1/4" U-Bar (2-2-1-2) 8H: 2-1/4" U-Bar (2-2-1-2-2) 10H: 2-1/4" U-Bar (2-2-1-2-2-2) 12H: 2-1/4" U-Bar (2-2-1-2-2-2-2)		Solid Only 16107.46				Link	Link					Link
Custom Reserve Coll.	Custom Reserve Coll.	N/A	N/A	N/A	104998	16'-2"	12'-0"	41	48	Y	7H: 80ksi T-strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1-1)		Optional IR Lites 16107.50				Link	Link					Link

Residential W8 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
73	75	42, 42B	6RST	0	101296	9'-0"	16'-0"	46	50	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)		Opt. IR Lites 5684.6				Link	Link					Link
94	84A	48, 48B	4F, 4RST	0	103287	9'-0"	16'-0"	54	62	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)		Solid Only 5684.7		Solid Only GDR-59	Solid Only 21-0722.03 Exp 9/15/26	Link	Link	Link		Link	Link	Link
94	84A	48, 48B	4F, 4RST	0	103547	9'-0"	16'-0"	48	54	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)		Opt. IR Lites 5684.8		Opt. IR Lites GDR-59	Opt. IR Lites 22- 1212.01 Exp 2/21/28	Link	Link	Link		Link	Link	Link
94	84A	48, 48B	4F, 4RST	0	101300	16'-2"	12'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Opt. IR Lites 5684.17				Link	Link					Link
94	84A	48, 48B	4F, 4RST	0	104754	16'-2"	16'-0"	46	50	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)		Opt. IR Lites 16107.15		Opt. IR Lites GDR-59	Opt. IR Lites 22- 1220.02 Exp 2/21/24	Link	Link	Link		Link	Link	Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101703	9'-0"	16'-0"	48	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2-2)		Opt. IR Lites 5684.5		Opt. IR Lites GDR-2	Opt. IR Lites 22- 0707.10 Exp 9/20/27	Link	Link	Link		Link	Link	Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	101488	16'-2"	16'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Opt. IR Lites 5684.16				Link	Link					Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	103028	18'-2"	16'-0"	46	50	Y	7H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1-1)		Solid Only 5684.18				Link	Link					Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	104736	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)		Opt. IR Lites 16107.14		Opt. IR Lites GDR-2	Opt. IR Lites 22- 1116.04 Exp 1/31/24	Link	Link	Link		Link	Link	Link
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	0	104752	18'-2"	16'-0"	46	50	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1-1)		Opt. IR Lites 16107.16		Opt. IR Lites GDR-2	Opt. IR Lites 22- 1108.05 Exp 2/14/28	Link	Link	Link		Link	Link	Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104185	9'-0"	16'-0"	48	60	N	7H: 3" U-Bar (2-1-2-1) 8H: 3" U-Bar (2-1-2-1-2) 10H: 3" U-Bar (2-1-2-1-2-1) 12H: 3" U-Bar (2-1-2-1-2-1-2)		Opt. IR Lites 5684.21		Opt. IR Lites GDR-106		Link	Link	Link		Link		Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104280	16'-2"	16'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1)		Opt. IR Lites 5684.22				Link	Link					Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104281	18'-2"	12'-0"	46	50	Y	7H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1-1)		Solid Only 5684.23				Link	Link					Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104778	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-Strut (1-1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1-1)		Opt. IR Lites 16107.17		Opt. IR Lites GDR-106		Link	Link	Link		Link		Link
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	0	104779	18'-2"	16'-0"	46	50	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 8H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1) 10H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1-1-1)		Opt. IR Lites 16107.18		Opt. IR Lites GDR-106		Link	Link	Link		Link		Link
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	104121	9'-0"	16'-0"	50	58	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2) 10H: 3" U-Bar (3-2-3-2-3) 12H: 3" U-Bar (3-2-3-2-3-2)		Solid Only 5684.20				Link	Link					Link
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	104121	9'-0"	16'-0"	50	58	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (3-2-3-2) 10H: 3" U-Bar (3-2-3-2-3) 12H: 3" U-Bar (3-2-3-2-3-2)		Opt. IR Lites 15504.14			Opt. IR Lites 20- 0922.43 Exp 12/16/24	Link	Link				Link	Link

Residential W8 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	Dade Approval	IBC Drawing
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	104067	16'-2"	16'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)		Solid Only 5684.13				Link	Link					Link
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	0	104791	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1-0) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1-0-1)		Opt. IR Lites 16546.3			Opt. IR Lites 20-0922.34 Exp 8/1/23	Link	Link				Link	Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104119	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Solid Only 5684.1				Link	Link					Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104119	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Opt. IR Lites 16546.36			Opt. IR Lites 20-0922.42 Exp 12/16/24	Link	Link				Link	Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104038	16'-2"	16'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1) and 3" U-Bar (2-1-1-1) 8H: 6" C-Channel (1-1-1-1) and 3" U-Bar (2-1-1-1) 10H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (2-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1)		Solid Only 5684.14				Link	Link					Link
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	0	104786	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16107.21 16546.25			Opt. IR Lites 20-0922.33 Exp 7/18/23	Link	Link				Link	Link
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104435	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Opt. IR Lites 16546.20				Link	Link					Link
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	0	104822	16'-2"	12'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.21				Link	Link					Link
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	0	104119	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Opt. IR Lites 16546.36			Opt. IR Lites 20-0922.42 Exp 12/16/24	Link	Link				Link	Link
EPS Cypress 4302	EPS Cypress HDGC (not Dade listed)	EPS Cypress 6202	EPS Cypress SFC68	0	104786	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.25			Opt. IR Lites 20-0922.33 Exp 7/18/23	Link	Link				Link	Link
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	0	104119	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Opt. IR Lites 16546.36				Link	Link					Link
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	0	104786	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.25				Link	Link					Link
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104435	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Opt. IR Lites 16546.20				Link	Link					Link
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104822	16'-2"	12'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.21				Link	Link					Link
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	PUR Cypress MFC68U	104435	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Opt. IR Lites 16546.20				Link	Link					Link

Residential W8 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL		TDI			Dade Approval	IBC Drawing
																	Approval	Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact		
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	PUR Cypress MFC68U	104822	16'-2"	12'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.21				Link	Link					Link
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	0	105024	9'-2"	16'-0"	54	62	N	7H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 8H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 10H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-0) 12H: 50ksi T-Strut (1-1-1-1-1-1) and50ksi 3" U-Bar (1-0-0-0-0-0)		Opt. IR Lites 16546.41	GDR-150	Opt. IR Lites 21-0628.09 Exp 8/4/26	Link	Link	Link		Link	Link	Link	
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	0	105050	12'-2"	16'-0"	50	56	Y	7H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 8H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 10H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-0) 12H: 50ksi T-Strut (1-1-1-1-1-1) and50ksi 3" U-Bar (1-0-0-0-0-0)		Opt. IR Lites 16546.42	GDR-150	Opt. IR Lites 21-0708.02 Exp 9/8/26	Link	Link	Link		Link	Link	Link	
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	0	105019	14'-2"	16'-0"	46	52	Y	7H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and80ksi 3" U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.43	GDR-150	Opt. IR Lites 21-0803.01 Exp 9/29/26	Link	Link	Link		Link	Link	Link	
Modern PUR Flush/Grooved Multi Section Lites 9208, 9209	Modern PUR Flush/Grooved Multi Section Lites HDPC2, HDPCR2	Modern PUR Flush/Grooved Multi Section Lites 7208, 7209	N/A	0	105002	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and80ksi 3" U-Bar (1-1-1-1-1-1)		Opt. IR Lites 16546.44	GDR-150	Opt. IR Lites 21-0628.08 Exp 7/21/26	Link	Link	Link		Link	Link	Link	
Grand Harbor	N/A	N/A	Stone Manor	0	104121	9'-0"	16'-0"	50	58	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Solid Only 16546.50			20-0922.43 Opt. IR Lites Exp 12/16/24	Link	Link				Link	Link
Grand Harbor	N/A	N/A	Stone Manor	0	104791	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1-0) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1-0-1)		Solid Only 16546.51			20-0922.34 Opt. IR Lites Exp 8/1/23	Link	Link				Link	Link
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	0	103436	9'-0"	12'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Solid Only 5684.9		Solid Only GDR-2		Link	Link	Link		Link	Link	
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	0	103560	16'-2"	12'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)		Solid Only 5684.15				Link	Link				Link	
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	0	104949	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Optional IR Lites 16546.35			20-0922.54 Opt. IR Lites Exp 7/16/25	Link	Link				Link	Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	105391	10'-0"	16'-0"	54	60	N	7H: 50ksi T-Strut (1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1)		Optional IR Lites 16546.59				Link	Link				Link	
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	0	104928	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)		Optional IR Lites 16546.35			Opt. IR Lites 20- 0922.55 Exp 7/30/25	Link	Link				Link	Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104277	9'-0"	12'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Solid Only 5684.24				Link	Link				Link	
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104278	16'-2"	12'-0"	46.6	52	Y	7H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)		Solid Only 5684.25				Link	Link				Link	

Residential W8 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida	Florida	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL		TDI			Dade Approval	IBC
													Approved Impact Resistant	Approved Impact Resistant				Approval	Drawing	Approval	Drawing	Drawing Impact		
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104949	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Optional IR Lites 16546.35			20-0922.54 Opt. IR Lites Exp 7/16/25	Link	Link					Link	Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	105391	10'-0"	16'-0"	54	60	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1)		Optional IR Lites 16546.59				Link	Link						Link
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	0	104928	16'-2"	12'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-1)		Optional IR Lites 16546.35			Opt. IR Lites 20- 0922.55 Exp 7/30/25	Link	Link					Link	Link
Canyon Ridge Modern Series - Aluminum Inlay	Canyon Ridge Modern Series - Aluminum Inlay	Glenmoor Modern Series - Aluminum Inlay	CustomCrafted WoodLook Modern Series - Aluminum Inlay	0	104949	9'-0"	16'-0"	54	60	N	7H: 3" U-Bar (2-2-2-2) 8H: 3" U-Bar (2-2-2-2) 10H: 3" U-Bar (2-2-2-2-2) 12H: 3" U-Bar (2-2-2-2-2-2)		Optional IR Lites 16546.35			Link	Link						Link	
Canyon Ridge Modern Series - Aluminum Inlay	Canyon Ridge Modern Series - Aluminum Inlay	Glenmoor Modern Series - Aluminum Inlay	CustomCrafted WoodLook Modern Series - Aluminum Inlay	0	105391	10'-0"	16'-0"	54	60	N	7H: 50ksi T-Strut (1-1-1-1-1) 8H: 50ksi T-Strut (1-1-1-1-1) 10H: 50ksi T-Strut (1-1-1-1-1-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1)		Optional IR Lites 16546.59			Link	Link						Link	
Canyon Ridge Modern Series - Aluminum Inlay	Canyon Ridge Modern Series - Aluminum Inlay	Glenmoor Modern Series - Aluminum Inlay	CustomCrafted WoodLook Modern Series - Aluminum Inlay	0	104928	16'-2"	12'-0"	46	52	Y	7H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-1)		Optional IR Lites 16546.35			Link	Link						Link	
Canyon Ridge Modern Series - Plank and Full- View	Canyon Ridge Modern Series - Plank and Full- View	Glenmoor Modern Series - Plank and Full- View	CustomCrafted WoodLook Modern Series - Plank and Full- View	0	105024	9'-0"	16'-0"	54	62	N	7H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 8H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 10H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1) and50ksi 3" U-Bar (1-0-0-0-1-1)		Opt. IR Lites 16546.41		GDR-150	Link	Link	Link		Link		Link		
Canyon Ridge Modern Series - Plank and Full- View	Canyon Ridge Modern Series - Plank and Full- View	Glenmoor Modern Series - Plank and Full- View	CustomCrafted WoodLook Modern Series - Plank and Full- View	0	105050	12'-2"	16'-0"	50	56	Y	7H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 8H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 10H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-1) 12H: 50ksi T-Strut (1-1-1-1-1-1-1) and50ksi 3" U-Bar (1-0-0-0-1-1)		Opt. IR Lites 16546.42		GDR-150	Link	Link	Link		Link		Link		
Canyon Ridge Modern Series - Plank and Full- View	Canyon Ridge Modern Series - Plank and Full- View	Glenmoor Modern Series - Plank and Full- View	CustomCrafted WoodLook Modern Series - Plank and Full- View	0	105019	14'-2"	16'-0"	46	52	Y	7H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1) and80ksi 3" U-Bar (1-0-1-0-1-1)		Opt. IR Lites 16546.43		GDR-150	Opt. IR Lites 21-0803.01 Exp 9/29/26	Link	Link	Link		Link	Link	Link	
Canyon Ridge Modern Series - Plank and Full- View	Canyon Ridge Modern Series - Plank and Full- View	Glenmoor Modern Series - Plank and Full- View	CustomCrafted WoodLook Modern Series - Plank and Full- View	0	105002	16'-2"	16'-0"	46	52	Y	7H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1-1) and80ksi 3" U-Bar (1-0-1-0-1-1)		Opt. IR Lites 16546.44		GDR-150	Link	Link	Link		Link		Link		
Custom Reserve Coll.	Custom Reserve Coll.	N/A	N/A	0	104939	9'-0"	12'-0"	47	55	N	7H: 3" U-Bar (2-1-1) 8H: 3" U-Bar (2-1-1-1) 10H: 3" U-Bar (2-1-1-1-1) 12H: 3" U-Bar (2-1-1-1-1-1)	15279.92	Optional IR Lites 16107.49			Opt. IR Lites 20-0922.22 Exp 8/23/23	Link	Link				Link	Link	
AX, AXU	N/A	N/A	N/A	0	105611	9'-2"	16'-0"	52	58	N	2" x 2" Aluminum Angle (2-1-1-1)		34540.01			22-0622.01	Link	Link				Link	Link	
AX, AXU	N/A	N/A	N/A	0	105608	12'-2"	16'-0"	52	58	Y	3" x 2" Aluminum Angle (2-1-1-1)		34540.02			22-0705.10	Link	Link				Link	Link	
AX, AXU	N/A	N/A	N/A	0	105609	16'-2"	16'-0"	46	52	Y	3" x 2" Aluminum Angle (2-1-1-1)					22-0721.04						Link	Link	

Residential W9 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft- In2	Door Height (Max) Ft- In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL		TDI		TDI Drawing Impact	Dade Approval	IBC Drawing	
																	Approval	Drawing	Approval	Drawing				
94	84A	N/A	93	0	101706	9'-0"	16'-0"	62	72	Y	7'H: 4" C-Channel (1-1-1-1-1) 8'H: 4" C-Channel (1-1-1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1-1-1)		Opt. IR Lites 5684.19					Link	Link					Link
94	84A	N/A	93	0	104847	9'-0"	16'-0"	62	72	Y	7'H: 50ksi T-Strut (1-1-1-1-1) 8'H: 50ksi T-Strut (1-1-1-1-1-1) 10'H: 50ksi T-Strut (1-1-1-1-1-1-1) 12'H: 50ksi T-Strut (1-1-1-1-1-1-1-1)		Opt. IR Lites 17671.10			Opt. IR Lites 20-0922.36 Exp 9/25/23	Link	Link				Link	Link	

Commercial W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	FL Approved Standard	FL Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	MDC Listed	FL Approval	FL Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	MDC Approval	IBC Drawing
3150	210	N/A	N/A	102964	10'-2"	18'-0"	13.5	13.5	None												Link
3150	210	N/A	N/A	102965	12'-2"	18'-0"	13.5	13.5	2-1/4" U-Bar (1-0-1-0)												Link
3150	210	N/A	N/A	102966	14'-2"	18'-0"	13.5	13.5	2-1/4" U-Bar (1-1-1-1)												Link
3200, 3220, 3300	240	CFR68	CFR68	102887	10'-2"	18'-0"	20	21	None												Link
3200, 3220, 3300	240	CFR68	CFR68	102881	12'-2"	18'-0"	13.5	13.5	None												Link
3200, 3220, 3300	240	CFR68	CFR68	102883	14'-2"	18'-0"	13.5	13.5	3" U-Bar (1-0-1-0)												Link
3200, 3220, 3300	240	CFR68	CFR68	103611	16'-2"	18'-0"	13.5	13.5	2-1/4" U-Bar (1-1-0-1)												Link
3200, 3220, 3300	240	CFR68	CFR68	103619	20'-2"	18'-0"	13.5	13.5	3" U-Bar (2-1-1-1)												Link
3200, 3220	240	CFR68	CFR68	104366	24'-2"	18'-0"	13.3	13.3	3" U-Bar (2-2-2-2)												Link
3200, 3220	240	CFR68	CFR68	105336	26'-2"	18'-0"	14.8	16.6	80 KSI T-strut (1-1-1-1) *												Link
3220	N/A	N/A	N/A	105339	28'-2"	18'-0"	18.5	18.5	80 KSI T-strut (1-1-1-1) * and 3" U-Bar (1-1-1-1)												Link
3717, 3718, 3720, 3722, 3724, 3728, 3729	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104091	12'-2"	18'-0"	13.5	13.5	None												Link
3717, 3718, 3720, 3722, 3724, 3728, 3729	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104092	14'-2"	18'-0"	13.5	13.5	3" U-Bar (1-0-1-0)												Link
3717, 3718, 3720, 3722, 3724, 3728, 3729	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104083	16'-2"	18'-0"	13.5	13.5	3" U-Bar (1-1-1-1)												Link
3717, 3718, 3720, 3722, 3724, 3728, 3729	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104094	20'-2"	18'-0"	13.5	13.5	3" U-Bar (2-1-1-1)												Link
3717, 3718, 3720, 3722, 3724, 3728, 3729	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104368	24'-2"	18'-0"	13.3	13.3	3" U-Bar (2-2-2-2) *												Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	105338	26'-2"	18'-0"	14.8	16.6	80 KSI T-strut (1-1-1-1) *												Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	105340	30'-2"	18'-0"	16.1	16.1	80 KSI T-strut (1-1-1-1) * and 3" U-Bar (1-1-1-1)												Link
520, 520S	N/A	C0ST, C0SS	C0ST, C0SS	102967	10'-2"	18'-0"	16.5	16.5	None												Link
524, 524S, 524V	224, 224S, 224V	C4ST, C4SV, C4SS, C1ST, C1SS	C4ST, C4SV, C4SS, C1ST, C1SS	104853	9'-2"	18'-0"	13.5	13.5	None												Link
524, 524S, 524V, 525, 525S, 525V	224, 224S, 224V, 225, 225S, 225V	C4ST, C4SV, C4SS, C5ST, C5SV, C5SS, C5EST, C5ESV, C5ESS, C1ST, C1SS	C4ST, C4SV, C4SS, C5ST, C5SV, C5SS, C5EST, C5ESV, C5ESS, C1ST, C1SS	102961	10'-2"	18'-0"	13.5	13.5	2-1/4" 24Ga U-Bar (1-0-1-0)												Link
524, 524S, 524V, 525, 525S, 525V, 520, 520S	224, 224S, 224V, 225, 225S, 225V	C4ST, C4SV, C4SS, C5ST, C5SV, C5SS, C0ST, C0SS, C5EST, C5ESV, C5ESS, C1ST, C1SS	C4ST, C4SV, C4SS, C5ST, C5SV, C5SS, C0ST, C0SS, C5EST, C5ESV, C5ESS, C1ST, C1SS	102963	14'-2"	18'-0"	13.5	13.5	3" U-Bar (1-1-1-1)												Link
524, 524S, 524V, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS, C1ST, C1SS	C4ST, C4SV, C4SS, C0ST, C0SS, C1ST, C1SS	103056	16'-2"	18'-0"	13.5	13.5	3" U-Bar (2-1-1-1)												Link
524, 524S, 524V, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS, C1ST, C1SS	C4ST, C4SV, C4SS, C0ST, C0SS, C1ST, C1SS	103618	20'-2"	18'-0"	13.5	13.5	3" U-Bar (2-2-2-2)												Link
524, 524S, 524V, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	104365	24'-2"	18'-0"	13.3	13.3	6" C-Channel (1-1-1-1)												Link
524, 524S, 524V, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105333	24'-2"	18'-0"	13.3	13.3	80 KSI T-strut (1-1-1-1)												Link
524, 524S, 524V, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105335	26'-2"	18'-0"	14.4	15.9	80 KSI T-strut (1-1-1-1)												Link
520, 520S	N/A	C0ST, C0SS	C0ST, C0SS	105342	30'-2"	18'-0"	16.1	16.1	80 KSI T-strut (1-1-1-1) * and 3" U-Bar (1-1-1-1)												Link
902, 903	N/A	C2AL	C2AL	103291	12'-2"	18'-0"	16.5	16.5	As standard												Link
902, 903	N/A	C2AL	C2AL	103292	14'-2"	18'-0"	13.5	13.5	As standard												Link
902, 903	N/A	C2AL	C2AL	103610	16'-2"	18'-0"	13.5	13.5	As standard												Link
902, 903	N/A	C2AL	C2AL	103617	20'-2"	18'-0"	13.5	13.5	Stock 2"x2" L-angles (1-1-1-1) & 3" U-Bar (2-1-1-1)												Link
902, 903	N/A	C2AL	C2AL	104367	24'-2"	18'-0"	13.3	13.3	2"x2" Alum. Angle (2-1-1-1) with offset plates												Link
904	N/A	C4AL	C4AL	105588	16'-2"	20'-0"	14	14	Same as Standard based on glazing.												Link
904	N/A	C4AL	C4AL	105587	24'-2"	20'-0"	14	14	Same as Standard based on glazing.												Link
664, 664V	N/A	C4RT, C4RV	C4RT, C4RV	102894	9'-0"	14'-0"	13	15	2-1/4" U-Bar (1-1-0-1)												Link

Commercial W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	FL Approved Standard	FL Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	MDC Listed	FL Approval	FL Drawing	TDI Approval	TDI Drawing	TDI Drawing Impact	MDC Approval	IBC Drawing
664, 664V	N/A	C4RT, C4RV	C4RT, C4RV	102895	16'-0"	14'-0"	12.5	14	3" U-Bar (2-1-1-1)												Link
664, 664V	N/A	C4RT, C4RV	C4RT, C4RV	102899	18'-0"	14'-0"	12.5	14	3" U-Bar (2-1-2-1)												Link
3154, 3155	230B	N/A	N/A	102981	9'-0"	14'-0"	13	15	2-1/4" U-Bar (1-0-1-0)												Link
3154, 3155	230B	N/A	N/A	102982	16'-0"	14'-0"	12.5	14	2-1/4" U-Bar (2-1-2-1)												Link
3154, 3155	230B	N/A	N/A	102983	18'-0"	14'-0"	12.5	14	3" U-Bar (2-1-1-1)												Link
3211, 3213	250G	CDP68, CFL68	CDP68, CFL68	102884	9'-0"	14'-0"	13	15	None												Link
3211, 3213	250G	CDP68, CFL68	CDP68, CFL68	102885	16'-0"	14'-0"	12.5	14	2-1/4" U-Bar (1-0-1-0)												Link
3211, 3213	250G	CDP68, CFL68	CDP68, CFL68	102886	18'-0"	14'-0"	12.5	14	3" U-Bar (1-1-1-1)												Link

Commercial W2 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TX Approval	TX Drawing2	Drawing	Dade Approval	IBC Drawing
520, 520S	N/A	C0ST, C0SS	C0ST, C0SS	105434	9'-2"	18'-0"	18	20	None												Link
524, 524S, 524V	224, 224S, 224V	C4ST, C4SV, C4SS	C4ST, C4SV, C4SS	105410	9'-2"	18'-0"	18	20	2-1/4" U-Bar (1-0-1-0)												Link
520, 520S	N/A	C0ST, C0SS	C0ST, C0SS	105433	10'-2"	18'-0"	18	20	2-1/4" U-Bar (1-0-1-0)												Link
524, 524S, 524V	224, 224S, 224V	C4ST, C4SV, C4SS	C4ST, C4SV, C4SS	105462	10'-2"	18'-0"	18	20	2-1/4" U-Bar (1-1-1-1)												Link
520, 520S	N/A	C0ST, C0SS	C0ST, C0SS	105427	12'-2"	18'-0"	18	20	2-1/4" U-Bar (1-1-1-1)												Link
524, 524S, 524V	224, 224S, 224V	C4ST, C4SV, C4SS	C4ST, C4SV, C4SS	105425	12'-2"	18'-0"	18	20	3" U-Bar (1-1-1-1)												Link
524, 524S, 524V, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105463	14'-2"	18'-0"	18.3	18.3	3" U-Bar (2-1-1-1)												Link
3717, 3718, 3720, 3722, 3724, 3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	105598	9'-2"	18'-0"	25	25	None												Link
3717, 3718, 3720, 3722, 3724, 3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	105599	10'-2"	18'-0"	20	20	None												Link
3717, 3718, 3720, 3722, 3724, 3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	105600	12'-2"	18'-0"	18	20	2-1/4" U-Bar (1-1-0-1)												Link
3717, 3718, 3720, 3722, 3724, 3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	105601	14'-2"	18'-0"	18.4	20.6	2-1/4" U-Bar (2-1-1-1)												Link
3728, 3729	N/A	N/A	N/A	105602	9'-2"	18'-0"	20	21	None												Link
3728, 3729	N/A	N/A	N/A	105603	10'-2"	18'-0"	20	21	None												Link
3728, 3729	N/A	N/A	N/A	105604	12'-2"	18'-0"	18	20	2-1/4" U-Bar (1-1-1-1)												Link
3728, 3729	N/A	N/A	N/A	105605	14'-2"	18'-0"	18.4	20.6	2-1/4" U-Bar (2-1-1-1)												Link
3200, 3220	240	CFR68	CFR68	105594	9'-2"	18'-0"	20	21	None												Link
3200, 3220	240	CFR68	CFR68	105595	10'-2"	18'-0"	20	21	None												Link
3200, 3220	240	CFR68	CFR68	105596	12'-2"	18'-0"	18	20	2-1/4" U-Bar (1-1-0-1)												Link
3200, 3220	240	CFR68	CFR68	105597	14'-2"	18'-0"	18.4	20.6	2-1/4" U-Bar (2-1-1-1)												Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105581	16'-2"	20'-0"	18	20	Same as Standard based on glazing.												Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105507	20'-2"	20'-0"	18	18	Same as Standard based on glazing and 2" x 2" L-angle on (1-0-0-0).												Link
905, 906, 905U, 906U	N/A	C5AL, C6AL, C5ALU, C6ALU	N/A	105786	16'-2"	16'-0"	18	20	Same as Standard based on glazing.												Link
905, 906, 905U, 906U	N/A	C5AL, C6AL, C5ALU, C6ALU	N/A	105895	20'-2"	16'-0"	18	18	Same as Standard based on glazing and 2" x 2" L-angle on (1-0-0-0).												Link

Commercial W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TX Approval	TX Drawing2	Drawing	Dade Approval	IBC Drawing
692	N/A	N/A	N/A	101762	9'-0"	14'-0"	25	32	3" U-Bar (1-1-1-1)	5678.3					Link	Link					Link
692	N/A	N/A	N/A	101781	16'-0"	14'-0"	24	24.5	3" U-Bar (2-1-2-1)	5678.4					Link	Link					Link
902	N/A	C2AL	C2AL	103332	24'-2"	18'-0"	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	105199	24'-2"	18'-0"	25	25	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	17671.23		GDR-24			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105334	12'-2"	20'-0"	25	25	Same as Standard based on glazing.	32009.01		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105581	16'-2"	20'-0"	25	25	1-1/4" x 1-1/4" Aluminum Angle (2-1-1-1)	32009.02		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105619	18'-2"	20'-0"	25	25	2" x 2" Aluminum Angle (2-1-1-1)	32009.03		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105633	20'-2"	20'-0"	25	25	4" 80 KSI T-Strut (1-1-1-1)	32009.04		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105620	24'-2"	20'-0"	25	25	4" 80 KSI T-Strut (1-1-1-1) and 3" 50 KSI U-Bar (2-1-1-1)	32009.05		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105886	24'-2"	20'-0"	25	27.5	3" x 2" Aluminum Angle (2-1-1-1)												Link
3203	N/A	N/A	N/A	101758	9'-0"	14'-0"	28	29	2-1/4" U-Bar (varies)	5678.1					Link	Link					Link
3203	N/A	N/A	N/A	101760	16'0"	14'-0"	25.5	25.5	3" U-Bar (2-1-1-1)	5678.2					Link	Link					Link
3200, 3220	240	N/A	N/A	104994	9'-2"	18'-0"	25	25	None	17671.11					Link	Link					Link
3200, 3220	240	N/A	N/A	101687	12'-2"	18'-0"	25	28	2-1/4" U-Bar (2-1-1-1)	5678.5		GDR-24			Link	Link	Link	Link			Link
3200, 3220	240	N/A	N/A	104971	14'-2"	18'-0"	25	25	3" U-Bar (2-1-1-1)	17671.13					Link	Link					Link
3200, 3220	240	N/A	N/A	101682	20'-2"	18'-0"	25	28	6" C-Channel (1-1-1-1)	5678.6		GDR-24			Link	Link	Link	Link			Link
3200, 3220	240	N/A	N/A	105198	20'-2"	18'-0"	25	28	80 KSI T-strut (1-1-1-1)	17671.19		GDR-24			Link	Link	Link	Link			Link
3200, 3220	N/A	N/A	N/A	103334	24'-2"	18'-0"	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
3200, 3220	N/A	N/A	N/A	105197	24'-2"	18'-0"	25	25	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	17671.20		GDR-24			Link	Link	Link	Link			Link
3717, 3718, 3720, 3722, 3724, 3730	240U, 244U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104993	9'-2"	18'-0"	25	25	None	17671.12					Link	Link					Link
3717, 3718, 3720, 3722, 3724, 3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104040	10'-2"	18'-0"	25	25	2-1/4" U-Bar (1-0-1-0)	17671.39					Link	Link					Link
3717, 3718, 3720, 3722, 3724, 3730	240U, 244U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104640	12'-2"	18'-0"	25	28	2-1/4" U-Bar (2-1-1-1)												Link
3717, 3718, 3720, 3722, 3724, 3730	240U, 244U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104956	14'-2"	18'-0"	25	25	3" U-Bar (2-1-1-1)	17671.14					Link	Link					Link
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104101	20'-2"	18'-0"	25	28	6" C-Channel (1-1-1-1)												Link
3717, 3718, 3720, 3722, 3724	240U, 244U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	105087	20'-2"	18'-0"	25	28	80 KSI T-strut (1-1-1-1)	17671.21					Link	Link					Link
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104642	24'-2"	18'-0"	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)												Link
3717, 3718, 3720, 3722, 3724	240U, 244U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	105225	24'-2"	18'-0"	25	25	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	17671.22					Link	Link					Link
3730	N/A	N/A	N/A	105087	20'-2"	18'-0"	25	28	80 KSI T-strut (1-1-1-1)												Link
3730	N/A	N/A	N/A	105225	24'-2"	18'-0"	25	25	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)												Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105412	9'-2"	18'-0"	25	25	2-1/4" U-Bar (1-1-1-1)	16546.62					Link	Link					Link
525, 525V, 525S, 524, 524V, 524S, 520, 520S	225, 225S, 224, 224S	C5ST, C5SV, C5SS, C5EST, C5ESV, C5ESS, C4ST, C4SV, C4SS, C0ST, C0SS	C5ST, C5SV, C5SS, C5EST, C5ESV, C5ESS, C4ST, C4SV, C4SS, C0ST, C0SS	101856	12'-2"	18'-0"	25	25	3" U-Bar (2-1-1-1)	5678.9		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	101886	16'-2"	18'-0"	25	25	4" C-Channel (1-1-1-1)	5678.10		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105032	16'-2"	18'-0"	25	25	50 KSI T-strut (1-1-1-1)	17671.16		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	102126	20'-2"	18'-0"	25	25	6" C-Channel (1-1-1-1)	5678.11		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S, 224V	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105077	20'-2"	18'-0"	25	25	80 KSI T-strut (1-1-1-1)	17671.17		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	103333	24'-2"	18'-0"	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105196	24'-2"	18'-0"	25	25	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	17671.18		GDR-24			Link	Link	Link	Link			Link

Commercial W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers		Holmes Model Numbers		Ideal Dealer Model Numbers		Drawing Number				Florida Approved Standard					FL Approval		TX Approval			IE Approval	
Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TX Approval	TX Drawing2	Drawing	Dade Approval	IBC Drawing
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	103275	12'-2"	18'-0"	32	32	2"x2" Alum. Angle (2-1-1-1)			GDR-24					Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	103294	16'-2"	18'-0"	32	32	4" C-Channel (1-1-1-1)	5678.23		GDR-24			Link	Link	Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	105043	16'-2"	18'-0"	32	32	50 KSI T-strut (1-1-1-1)	17671.28		GDR-24			Link	Link	Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	103295	16'-2"	18'-0"	30	30	2"x2" Alum. Angle (2-1-1-1)*	5678.24					Link	Link					Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	103296	20'-2"	18'-0"	30	30	6" C-Channel (1-1-1-1)			GDR-24					Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	105088	20'-2"	18'-0"	30	30	80 KSI T-strut (1-1-1-1)	17671.29		GDR-24			Link	Link	Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	103324	22'-2"	18'-0"	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	105059	22'-2"	18'-0"	30	30	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	17671.30		GDR-24			Link	Link	Link	Link			Link
902, 903	N/A	C2AL, C3AL	C2AL, C3AL	105063	22'-2"	18'-0"	33	34	80 KSI T-strut (1-1-1-1) and 3" U-Bar (2-2-2-2) and 2x2 AL Angle (1-1-1-1)	17671.31					Link	Link					Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105621	10'-2"	20'-0"	30	30	Same as Standard based on glazing.	32009.06		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105622	12'-2"	20'-0"	32	32	1-1/4" x 1-1/4" Aluminum Angle (2-1-1-1)	32009.07		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105525	16'-2"	20'-0"	32	32	2" x 2" Aluminum Angle (2-1-1-1)	32009.08		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105623	20'-2"	20'-0"	30	30	4" 80 KSI T-Strut (1-1-1-1)	32009.09		GDR-155			Link	Link	Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105624	22'-2"	20'-0"	30	30	4" 80 KSI T-Strut (1-1-1-1) and 3" 50 KSI U-Bar (2-1-1-1)			GDR-155					Link	Link			Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105887	22'-2"	20'-0"	40	33	3" x 2" Aluminum Angle (2-1-1-1)												Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	101874	8'-2"	18'-0"	30	30	2-1/4" U-Bar (1-1-1-1)	5678.17		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	101875	10'-2"	18'-0"	30	30	3" U-Bar (1-1-1-1)	5678.18		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	101869	12'-2"	18'-0"	30	30	3" U-Bar (2-2-2-2)	5678.19		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	101885	16'-2"	18'-0"	32	32	4" C-Channel (1-1-1-1)	5678.20		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	105033	16'-2"	18'-0"	32	32	80 KSI T-strut (1-1-1-1)	17671.24		GDR-24			Link	Link	Link	Link			Link
524, 520	N/A	C4ST, C0ST	C4ST, C0ST	103319	22'-2"	18'-0"	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
524, 520	N/A	C4ST, C0ST	C4ST, C0ST	105064	22'-2"	18'-0"	30	30	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
525, 525V, 525S	225, 225S	C5ST, C5SV, C5SS	C5ST, C5SV, C5SS	105676	9'-2"	18'-0"	30	30	3" U-Bar (2-1-1-1)	17671.38					Link	Link					Link
3200, 3220	240	N/A	N/A	200040	16'-2"	18'-0"	30	32	3" U-Bar (2-2-2-2)	17671.40		GDR-24			Link	Link	Link	Link			Link
3200, 3220	240	N/A	N/A	103320	22'-2"	18'-0"	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
3200, 3220	240	N/A	N/A	105054	22'-2"	18'-0"	30	30	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)			GDR-24					Link	Link			Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104044	14'-2"	18'-0"	30	34	3" U-Bar (2-1-2-1)	5678.16					Link	Link					Link
3717, 3718, 3720, 3722, 3724, 3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104643	16'-2"	18'-0"	30	32	3" U-Bar (2-2-2-2)												Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104644	22'-2"	18'-0"	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)												Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	105073	22'-2"	18'-0"	30	30	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	17671.27					Link	Link					Link
3730	N/A	N/A	N/A	104044	14'-2"	18'-0"	30	34	3" U-Bar (2-1-2-1)												Link
3730	N/A	N/A	N/A	105073	22'-2"	18'-0"	30	30	80 KSI T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1)												Link

Commercial W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max)	Door Height (Max)	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	FL Approved Standard	FL Approved Impact	TDI Listed Standard	TDI Listed Impact	MDC Listed	FL Approval	FL Drawing	TDI Approval	TDI Drawing 2	TDI Drawing	MDC Approval	IBC Drawing
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	102445	10'-2"	18'-0"	37	42	3" U-Bar (2-1-2-1)	5678.31					Link	Link					Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	102445	10'-2"	18'-0"	37	42	3" U-Bar (2-1-2-1)	16848.2	Solid Only 16848.1	GDR-24	Solid Only GDR-24	Solid Only 20-0922.46 Exp 4/9/25	Link	Link	Link	Link	Link	Link	Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	102446	12'-2"	18'-0"	37	42	3" U-Bar (2-2-2-2)	5678.32		GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	104811	12'-2"	18'-0"	36	42	3" U-Bar (2-2-2-2)		Solid Only 17671.1			Solid Only 20-0922.53 Exp 7/2/25	Link	Link				Link	Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	102585	14'-2"	18'-0"	37	38	4" C-Channel (1-1-1-1)	5678.33		Solid Only GDR-24			Link	Link	Link	Link			Link
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	C4ST, C4SV, C4SS, C0ST, C0SS	104924	14'-2"	18'-0"	38	42	50 KSI T-Strut (1-1-1-1)		Solid Only 17671.15			Solid Only 20-0922.52 Exp 7/16/25	Link	Link				Link	Link
524, 520	224	C4ST, C0ST	C4ST, C0ST	104858	16'-2"	18'-0"	38	42	80 KSI T-Strut (1-1-1-1)		Solid Only 16848.3		Solid Only GDR-24	Solid Only 20-0922.47 Exp 4/16/25	Link	Link	Link		Link	Link	Link
3200, 3220	240	N/A	N/A	101617	10'-2"	18'-0"	37	40	3" U-Bar (2-1-1-1)	5678.27		Solid Only GDR-24			Link	Link	Link	Link			Link
3200, 3220	240	N/A	N/A	101678	12'-2"	18'-0"	40	40	3" U-Bar (2-1-2-1)	5678.28		Solid Only GDR-24			Link	Link	Link	Link			Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C7X24, C0X22	C7X17, C7X18, C7X20, C7X24, C0X22	104039	10'-2"	18'-0"	37	37	3" U-Bar (2-1-1-1)	5678.29					Link	Link					Link
3717, 3718, 3720, 3722, 3724	240U, 244U	C7X17, C7X18, C7X20, C7X24, C0X22	C7X17, C7X18, C7X20, C7X24, C0X22	104039	10'-2"	18'-0"	37	44	3" U-Bar (2-1-1-1)	16848.6	Opt. IR Lites 16848.5	GDR-24	Opt. IR Lites GDR-24	Opt. IR Lites 20-0922.39 Exp 7/10/24	Link	Link	Link	Link	Link	Link	Link
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104043	14'-2"	18'-0"	37	42	3" U-Bar (2-2-2-2)	5678.30					Link	Link					Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C7X24, C0X22	C7X17, C7X18, C7X20, C7X24, C0X22	104043	14'-2"	18'-0"	36	40	3" U-Bar (2-2-2-2)	SEE NEXT LINE				Opt. IR Lites 20-0922.38 Exp 7/10/24						Link	Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C7X24, C0X22	C7X17, C7X18, C7X20, C7X24, C0X22	104861	14'-2"	18'-0"	36	40	3" U-Bar (2-2-2-2)	16848.8	Opt. IR Lites 16848.7	GDR-24	Opt. IR Lites GDR-24		Link	Link	Link	Link	Link		Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C7X24, C0X22	C7X17, C7X18, C7X20, C7X24, C0X22	104801	16'-2"	18'-0"	37	42	80 KSI T-Strut (1-1-1-1)	16848.10	Opt. IR Lites 16848.9	GDR-24	Opt. IR Lites GDR-24	Opt. IR Lites 20-0922.41 Exp 10/2/24	Link	Link	Link	Link	Link	Link	Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C7X24, C0X22	C7X17, C7X18, C7X20, C7X24, C0X22	104826	18'-2"	18'-0"	36	40	80 KSI T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0)	16848.12	Opt. IR Lites 16848.11	GDR-24	Opt. IR Lites GDR-24	Opt. IR Lites 20-0922.44 Exp 1/15/25	Link	Link	Link	Link	Link	Link	Link
3730	N/A	N/A	N/A	104039	10'-2"	18'-0"	37	37	3" U-Bar (2-1-1-1)												Link
3730	N/A	N/A	N/A	104043	14'-2"	18'-0"	37	42	3" U-Bar (2-2-2-2)												Link
3730	N/A	N/A	N/A	104861	14'-2"	18'-0"	36	40	3" U-Bar (2-2-2-2)			GDR-24	Opt. IR Lites GDR-24				Link	Link	Link		Link
3730	N/A	N/A	N/A	104801	16'-2"	18'-0"	37	42	80 KSI T-Strut (1-1-1-1)			GDR-24	Opt. IR Lites GDR-24				Link	Link	Link		Link
3730	N/A	N/A	N/A	104826	18'-2"	18'-0"	36	40	80 KSI T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0)			GDR-24	Opt. IR Lites GDR-24				Link	Link	Link		Link
3728, 3729	C7R20	NA	NA	104859	9'-2"	18'-0"	38	42	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-1-2-1) 10"H: 3" U-Bar (2-1-2-1-2-1) 12"H: 3" U-Bar (2-1-2-1-2-1-2)	16546.38	Opt. IR Lites 16546.37	GDR-150	GDR-150		Link	Link	Link	Link	Link		Link
3728, 3729	C7R20	NA	NA	105042	16'-2"	18'-0"	38	42	7"H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0) 8"H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0) 10"H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0-0) 12"H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-0-0-0-0-0)	16546.40	Opt. IR Lites 16546.39	GDR-150	GDR-150		Link	Link	Link	Link	Link		Link
3728, 3729	C7R20	NA	NA	105188	18'-2"	18'-0"	38	42	7"H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1)	16546.56	Opt. IR Lites 16546.55	GDR-150	GDR-150	Opt. IR Lites 22-1019.02 Exp 11/21/27	Link	Link	Link	Link	Link	Link	Link
902	N/A	C2AL	C2AL	103800	22'-2"	18'-0"	33	34	6" C-Channel (1-1-1-1) and 3" U-Bar (2-2-2-2) and 2x2 AL Angle (1-1-1-0)												Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105824	9'-2"	20'-0"	40	44	2" x 2" Aluminum Angle (2-1-1-1)	32009.10					Link	Link					Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105825	12'-2"	20'-0"	40	44	3" x 2" Aluminum Angle (2-1-1-1)	32009.11					Link	Link					Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105826	16'-2"	20'-0"	40	42	3" x 2" Aluminum Angle (2-1-1-1)	32009.12					Link	Link					Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105827	18'-2"	20'-0"	36	40	3" x 2" Aluminum Angle (2-1-1-1)	32009.13					Link	Link					Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105882	20'-2"	20'-0"	36	40	3" x 2" Aluminum Angle (2-1-1-1)	32009.14					Link	Link					Link

Commercial W8 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In2	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved Standard	Florida Approved Impact Resistant	TDI Listed Standard	TDI Listed Impact Resistant	Dade Listed	FL Approval	Drawing	TX Approval	TX Drawing2	Drawing	Dade Approval	IBC Drawing
524, 520	224	C4ST, C0ST	C4ST, C0ST	104813	12'-2"	18'-0"	52	58	50 KSI T-Strut (1-1-1-1)		Solid Only 16848.4		Solid Only GDR-24	Solid Only 20-0922.37 Exp 3/6/24	Link	Link	Link		Link	Link	Link
524, 520	224	C4ST, C0ST	C4ST, C0ST	102645	12'-2"	18'-0"	50	56	4" C-Channel (1-1-1-1)		Solid Only 5684.11				Link	Link					Link
524, 520	224	C4ST, C0ST	C4ST, C0ST	103288 MD / 104812	14'-2"	18'-0"	52	58	80 KSI T-Strut (1-1-1-1) and 80 KSI 3" U-Bar (1-1-1-1)		Solid Only 17671.2			Solid Only 20-0922.48 Exp 4/16/25	Link	Link				Link	Link
524, 520	224	C4ST, C0ST	C4ST, C0ST	103288	14'-2"	18'-0"	50	56	4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)		Solid Only 5684.12		Solid Only GDR-24		Link	Link	Link		Link		Link
3200	240	N/A	N/A	101705	12'-2"	18'-0"	52	58	4" C-Channel (1-1-1-1)		Solid Only 5684.10		Solid Only GDR-24		Link	Link	Link		Link		Link
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104245	12'-2"	18'-0"	50	56	4" C-Channel (1-1-1-1)		Solid Only 5684.26				Link	Link					Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104815	12'-2"	18'-0"	52	58	50 KSI T-Strut (1-1-1-1)		Opt IR Lites 17671.3			Opt. IR Lites 20-0922.50 Exp 5/7/25	Link	Link				Link	Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104842	14'-2"	18'-0"	52	58	80 KSI T-Strut (1-1-1-1)		Opt IR Lites 17671.4			Opt. IR Lites 20-0922.51 Exp 5/28/25	Link	Link				Link	Link
3717, 3718, 3720, 3722, 3724	240U	C7X17, C7X18, C7X20, C0X22, C7X24	C7X17, C7X18, C7X20, C0X22, C7X24	104900	16'-2"	18'-0"	50	58	80 KSI T-Strut (1-1-1-1) and 80 KSI 3" U-Bar (1-1-1-1)		Opt IR Lites 17671.5			Opt. IR Lites 20-0922.49 Exp 4/23/25	Link	Link				Link	Link
3720, 3722	240U	C7X20, C0X22	C7X20, C0X22	104112	16'-2"	18'-0"	50	56	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)		Solid Only 5684.27				Link	Link					Link
3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104815	12'-2"	18'-0"	52	58	50 KSI T-Strut (1-1-1-1)												Link
3730	240U	C7X17, C7X18, C7X20, C0X22	C7X17, C7X18, C7X20, C0X22	104842	14'-2"	18'-0"	52	58	80 KSI T-Strut (1-1-1-1)												Link
3728, 3729	C7R20	NA	NA	105024	9'-2"	16'-0"	54	62	7H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 8H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 10H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-0) 12H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-0-0)		Opt. IR Lites 16546.41		GDR-150	Opt. IR Lites 21-0626.09 Exp 8/4/26	Link	Link	Link		Link	Link	Link
3728, 3729	C7R20	NA	NA	105050	12'-2"	16'-0"	50	56	7H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 8H: 50ksi T-Strut (1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0) 10H: 50ksi T-Strut (1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-0) 12H: 50ksi T-Strut (1-1-1-1-1-1) and 50ksi 3" U-Bar (1-0-0-0-0-0)		Opt. IR Lites 16546.42		GDR-150	Opt. IR Lites 21-0708.02 Exp 9/8/26	Link	Link	Link		Link	Link	Link
3728, 3729	C7R20	NA	NA	105019	14'-2"	16'-0"	46	52	7H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0) 10H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-0-1-0-1-0)		Opt. IR Lites 16546.43		GDR-150	Opt. IR Lites 21-0803.01 Exp 9/29/26	Link	Link	Link		Link	Link	Link
3728, 3729	C7R20	NA	NA	105002	16'-2"	16'-0"	46	52	7H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 8H: 80ksi T-Strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 10H: 80ksi T-Strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 12H: 80ksi T-Strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1)		Opt. IR Lites 16546.44		GDR-150	Opt. IR Lites 21-0628.08 Exp 7/21/26	Link	Link	Link		Link	Link	Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105611	9'-2"	20'-0"	52	58	2" x 2" Aluminum Angle (2-1-1-1)		34540.01			22-0622.01	Link	Link				Link	Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105608	12'-2"	20'-0"	52	58	3" x 2" Aluminum Angle (2-1-1-1)		34540.02			22-0705.10	Link	Link				Link	Link
904, 904U	N/A	C4AL, C4ALU	C4AL, C4ALU	105609	16'-2"	20'-0"	46	52	3" x 2" Aluminum Angle (2-1-1-1)					22-0721.04						Link	Link