

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
T50S, T40S, T50L, T40L, T40F	HDB, HDBL, HDBF, HDB4	4200, 4203	IT50S, IT40S, IT50L, IT40L, IT40F	M5ST, M5LT	104254	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)
T50S, T40S, T50L, T40L, T40F	HDB, HDBL, HDBF, HDB4	4200, 4203	IT50S, IT40S, IT50L, IT40L, IT40F	M5ST, M5LT	104145	16-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)
T50S, T40S, T50L, T40L, T40F (Short Lites Only)	HDB, HDBL, HDBF, HDB4 (Short Lites Only)	4200, 4203 (Short Lites Only)	IT50S, IT40S, IT50L, IT40L, IT40F (Short Lites Only)	M5ST, M5LT (Short Lites Only)	104255	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
T51S, T41S, T51L, T41L, T51F, T41F	N/A	5200, 5203	IT51S, IT41S, IT51L, IT41L, IT51F, IT41F	N/A	104254	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)
T51S, T41S, T51L, T41L, T51F, T41F	N/A	5200, 5203	IT51S, IT41S, IT51L, IT41L, IT51F, IT41F	N/A	104145	16-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)
T51S, T41S, T51L, T41L, T51F, T41F (Short Lites Only)	N/A	5200, 5203 (Short Lites Only)	IT51S, IT41S, IT51L, IT41L, IT51F, IT41F (Short Lites Only)	N/A	104255	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
T52S, T42S, T52L, T42L, T42F	HDS, HDSL, HDSF	5500, 5503	IT52S, IT42S, IT52L, IT42L, IT42F	M4SV, M5LV, M4FV	104254	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)
T52S, T42S, T52L, T42L, T42F	HDS, HDSL, HDSF	5500, 5503	IT52S, IT42S, IT52L, IT42L, IT42F	M4SV, M5LV, M4FV	104145	16-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)
T52S, T42S, T52L, T42L, T42F (Short Lites Only)	HDS, HDSL, HDSF (Short Lites Only)	5500, 5503 (Short Lites Only)	IT52S, IT42S, IT52L, IT42L, IT42F (Short Lites Only)	M4SV, M5LV, M4FV (Short Lites Only)	104255	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
251S, 251L, 251F	B178, B278, B378	N/A	N/A	N/A	102935	9-0	12-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)
251S, 251L, 251F	B178, B278, B378	N/A	N/A	N/A	102937	16-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
251S, 251F	B178, B378	N/A	N/A	N/A	102939	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
150S, 150L, 140S, 140L	C125, C225, C124	N/A	N/A	N/A	102942	9-0	12-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)
150S, 150L, 140S, 140L	C125, C225, C124	N/A	N/A	N/A	102944	16-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
150S, 140S	C125, C124	N/A	N/A	N/A	102946	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
70B	N/A	N/A	S5ESV, S5EST, S5SV, S5ST	M5EST, M5ESV	104120	10-2	8-0	13.5	13.5	N	7'H: 2-1/4" 24ga U-Bar (1-0-1-0) 8'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0)
70B	N/A	N/A	S5ESV, S5EST, S5SV, S5ST	M5EST, M5ESV	104122	14-2	8-0	13.5	13.5	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (1-1-1-1)
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	MDP38, MRP38, MFL38	102714	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-0-1-0) 8'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0) 10'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0-1-0) 12'H: 2-1/4" 24ga U-Bar (1-0-1-0-1-0-1-0-1-0)
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	MDP38, MRP38, MFL38	102715	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1-2) 10'H: 2-1/4" U-Bar (2-1-2-1-2-1) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1-2)
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	MDP38, MRP38, MFL38	102867	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)
4300, 4301, 4310	HDG, HDGL, HDGF	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200, SDP68, SRP68, SFL68	MDP68, MRP68, MFL68	102694	9-0	16-0	13	15	N	NONE
4300, 4301, 4310	HDG, HDGL, HDGF	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200, SDP68, SRP68, SFL68	MDP68, MRP68, MFL68	102695	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (1-1-1-1) 8'H: 2-1/4" U-Bar (1-1-1-1-1) 10'H: 2-1/4" U-Bar (1-1-1-1-1-1) 12'H: 2-1/4" U-Bar (1-1-1-1-1-1-1)
4300, 4301, 4310	HDG, HDGL, HDGF	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200, SDP68, SRP68, SFL68	MDP68, MRP68, MFL68	102736	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (1-1-1-1-1) 10'H: 3" U-Bar (1-1-1-1-1-1) 12'H: 3" U-Bar (1-1-1-1-1-1-1)
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	MDP38U, MFL38U, MRP38U	104174	9-0	16-0	13	15	N	NONE
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	MDP38U, MFL38U, MRP38U	104163	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	MDP38U, MFL38U, MRP38U	104291	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104279	9-0	16-0	13	15	N	NONE
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104129	16-0	16-0	12.5	14	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	MDP68U, MFL68U, MRP68U	104259	18-0	16-0	12.5	14	N	7'H: 3" 24ga U-Bar (1-1-0-1) 8'H: 3" 24ga U-Bar (1-1-0-1) 10'H: 3" 24ga U-Bar (1-1-0-1-1) 12'H: 3" 24ga U-Bar (1-1-0-1-1-1)
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	Expressions Pan 25ga MR5S, MR5SV	102738	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1-1)
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	Expressions Pan 25ga MR5S, MR5SV	102739	16-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	Expressions Pan 25ga MR5S, MR5SV	102933	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	Expressions Pan 24ga MR4S, MR4SV, MR4L, MR4LV	103597	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1)
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	Expressions Pan 24ga MR4S, MR4SV, MR4L, MR4LV	103469	16-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)
Gallery Pan 24ga GD4S, GD4SV, GD4L	Gallery Pan 24ga GR4S, GR4SV, GR4L	Artistry Pan 24ga AR4S, AR4SV, AR4L	Expressions Pan 24ga ED4S, ED4SV, ED4L	Expressions Pan 24ga MR4S, MR4SV, MR4L	103603	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	Expressions EPS MR1SP, MR1LP	104022	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	Expressions EPS MR1SP, MR1LP	104023	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-2-2-2) 8'H: 2-1/4" U-Bar (2-2-2-2) 10'H: 2-1/4" U-Bar (2-2-2-2-2) 12'H: 2-1/4" U-Bar (2-2-2-2-2-2)
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	Expressions EPS MR1SP, MR1LP	104024	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	104025	9-0	12-0	13	15	N	NONE
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	104026	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	Expressions EPS MR2SP, MR2LP	104027	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	Expressions PUR MR1SU, MR1LU	104356	9-0	12-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	Expressions PUR MR1SU, MR1LU	104357	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1) 10'H: 2-1/4" U-Bar (2-1-2-1-2) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1)
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	Expressions PUR MR1SU, MR1LU	104358	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR ED2SU, ED2LU	104359	9-0	12-0	13	15	N	NONE
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR ED2SU, ED2LU	104360	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	Expressions PUR ED2SU, ED2LU	104361	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
EPS Cypress 4132	EPS Cypress 2132	EPS Cypress 6132	EPS Cypress SFC38	EPS Cypress MFC38	104022	9-0	16-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)
EPS Cypress 4132	EPS Cypress 2132	EPS Cypress 6132	EPS Cypress SFC38	EPS Cypress MFC38	104023	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-2-2-2) 8'H: 2-1/4" U-Bar (2-2-2-2) 10'H: 2-1/4" U-Bar (2-2-2-2-2) 12'H: 2-1/4" U-Bar (2-2-2-2-2-2)
EPS Cypress 4132	EPS Cypress 2132	EPS Cypress 6132	EPS Cypress SFC38	EPS Cypress MFC38	104024	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6132	EPS Cypress SFC68	EPS Cypress MFC68	104025	9-0	12-0	13	15	N	NONE
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	EPS Cypress MFC68	104026	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	EPS Cypress MFC68	104027	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104356	9-0	12-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24ga U-Bar (1-1-0-1) 10'H: 2-1/4" 24ga U-Bar (1-1-0-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-0-1-1-1)
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104357	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1) 10'H: 2-1/4" U-Bar (2-1-2-1-2) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1)
PUR Cypress 9132	PUR Cypress HDPC13	PUR Cypress 7132	PUR Cypress 8132	PUR Cypress MDP38U	104358	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104359	9-0	12-0	13	15	N	NONE
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104360	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	PUR Cypress MFC68U	104361	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
Grand Harbor	Grand Harbor	N/A	Stone Manor	Stone Manor	103842	9-0	12-0	13	15	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1)
Grand Harbor	Grand Harbor	N/A	Stone Manor	Stone Manor	103843	16-0	12-0	12.5	14	N	7'H: 3" 20ga U-Bar (2-1-2-1) 8'H: 3" 20ga U-Bar (2-1-2-1) 10'H: 3" 20ga U-Bar (2-1-2-1-2) 12'H: 3" 20ga U-Bar (2-1-2-1-2-1)
Grand Harbor	Grand Harbor	N/A	Stone Manor	Stone Manor	103844	18-0	12-0	12.5	14	N	7'H: 3" 20ga U-Bar (2-2-2-2) 8'H: 3" 20ga U-Bar (2-2-2-2) 10'H: 3" 20ga U-Bar (2-2-2-2-2) 12'H: 3" 20ga U-Bar (2-2-2-2-2-2)
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	Affinity EPS	103104	9-0	12-0	13	15	N	7'H: 2-1/4" U-Bar (1-0-1-0) 8'H: 2-1/4" U-Bar (1-0-1-0) 10'H: 2-1/4" U-Bar (1-0-1-0-1-0) 12'H: 2-1/4" U-Bar (1-0-1-0-1-0-1)
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	Affinity EPS	103105	16-0	12-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1) 10'H: 2-1/4" 24ga U-Bar (2-1-2-1-2) 12'H: 2-1/4" 24ga U-Bar (2-1-2-1-2-1)
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	Affinity EPS	103106	18-0	12-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	Affinity Premium EPS	104468	9-0	16-0	13	15	N	NONE
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	Affinity Premium EPS	104469	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	Affinity Premium EPS	104470	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	Affinity Premium PUR	104468	9-0	16-0	13	15	N	NONE
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	Affinity Premium PUR	104469	16-0	16-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	Affinity Premium PUR	104470	18-0	16-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
Canyon Ridge	Canyon Ridge	Glenmoor	Carriage House CWL	Carriage House CWL	104302	9-0	10-0	13	15	N	NONE
Canyon Ridge	Canyon Ridge	Glenmoor	Carriage House CWL	Carriage House CWL	104303	16-0	10-0	12.5	14	N	7'H: 2-1/4" U-Bar (2-1-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1-1-1)
Canyon Ridge	Canyon Ridge	Glenmoor	Carriage House CWL	Carriage House CWL	104304	18-0	10-0	12.5	14	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)
Semi- Custom Resv. Coll.	Semi- Custom Resv. Coll.	N/A	N/A	N/A	102901	9-0	12-0	13	15	N	(same as standard)
Semi- Custom Resv. Coll.	Semi- Custom Resv. Coll.	N/A	N/A	N/A	102900	16-0	12-0	12.5	14	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (1-1-1-1) 10'H: 3" U-Bar (1-1-1-1-1) 12'H: 3" U-Bar (1-1-1-1-1-1)
AV, AVI	N/A	N/A	N/A	N/A	103462	12-2	12-0	16.5	16.5	N	(same as standard)
AV, AVI	N/A	N/A	N/A	N/A	103463	14-2	12-0	13.5	13.5	N	(same as standard)

W2 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Ideal Retail Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	N/A	102930	9-0	12-0	16	18.5	N	7'H: 2-1/4" 24ga U-Bar (1-1-1-1) 8'H: 2-1/4" 24ga U-Bar (1-1-1-1-1) 10'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1) 12'H: 2-1/4" 24ga U-Bar (1-1-1-1-1-1-1)
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	N/A	102898	16-0	12-0	15.5	17	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)

W3 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	104677	9-0	16-0	20	21	N	7'H: 3" U-Bar (1-1-0-1) 8'H: 3" U-Bar (1-1-0-1-1) 10'H: 3" U-Bar (1-1-0-1-1-1) 12'H: 3" U-Bar (1-1-0-1-1-1-1)	15504.2	No	No	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	101308	16-0	16-0	20	21	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	15279.7	No	No	No	No
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130,	134, 135, 136, SDP38, SRP38,	101655	9-0	8-0	20	21	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1-0)	15504.1	No	No	No	No
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	101820	16-0	8-0	20	21	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2)	15279.4	No	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104175	9-0	16-0	20	21	N	7'H: 2-1/4" 24Ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24Ga U-Bar (1-1-0-1-0) 10'H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1) 12'H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1-0)	16107.45	No	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104168	16-0	16-0	20	21	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	15279.6	No	No	No	No
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	103952	9-0	12-0	20	21	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1) 10'H: 2-1/4" U-Bar (1-1-0-1-1) 12'H: 2-1/4" U-Bar (1-1-0-1-1-1)	15279.2	No	No	No	No
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	104028	16-0	12-0	20	21	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.5	No	No	No	No
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	104424	9-0	12-0	20	21	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1) 10'H: 2-1/4" U-Bar (1-1-0-1-1) 12'H: 2-1/4" U-Bar (1-1-0-1-1-1)	15279.136	No	No	No	No
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	104425	16-0	12-0	20	21	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.137	No	No	No	No

W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
73, 76, 76V, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	2RST, 4RST, 6RST, 4RSF, 6RSF	300159	9-0	16-0	25	32	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (1-1-1-1-1) 10'H: 3" U-Bar (1-1-1-1-1-1) 12'H: 3" U-Bar (1-1-1-1-1-1-1)	15279.12	Opt. IR Lites 15279.126	GDR-59	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	101711	16-0	16-0	24	24.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	15279.20	Opt. IR Lites 15279.127	GDR-59	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	101312	18-0	16-0	25	25	N	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1-1)	15279.28	Opt. IR Lites 15279.128	GDR-59	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	104946	18-2	16-0	25	25	N	7'H: 50ksi T-Strut (1-1-1-1) 8'H: 50ksi T-Strut (1-1-1-1-1) 10'H: 50ksi T-Strut (1-1-1-1-1-1) 12'H: 50ksi T-Strut (1-1-1-1-1-1-1)	17671.7	Opt. IR Lites 17671.6	No	No	No
4310, 4300, 4301	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101652	9-0	16-0	28	29	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1-0) 10'H: 2-1/4" U-Bar (1-1-0-1-0-1) 12'H: 2-1/4" U-Bar (1-1-0-1-0-1-1)	15279.8	Opt. IR Lites 15279.123	GDR-2	No	No
4310, 4300, 4301	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101481	16-0	16-0	25.5	25.5	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	15279.15	Opt. IR Lites 15279.124	GDR-2	No	No
4310, 4300, 4301	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101247	18-0	16-0	25	25	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15279.24	Opt. IR Lites 15279.125	GDR-2	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104947	9-0	16-0	25	28	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1-0) 10'H: 2-1/4" U-Bar (1-1-0-1-0-1) 12'H: 2-1/4" U-Bar (1-1-0-1-0-1-0)	15504.07	No	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104704	16-0	16-0	24	26	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	15504.08	No	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104887	18-0	16-0	24	26	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15504.09	No	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104183	9-0	16-0	28	29	N	7'H: 2-1/4" 24Ga U-Bar (1-1-0-1) 8'H: 2-1/4" 24Ga U-Bar (1-1-0-1-0) 10'H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1) 12'H: 2-1/4" 24Ga U-Bar (1-1-0-1-0-1-0)	15279.10	No	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104169	16-0	16-0	25.5	25.5	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	15279.18	No	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104260	18-0	16-0	24	24.5	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15279.26	No	No	No	No
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	300159	9-0	16-0	25	32	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (1-1-1-1-1) 10'H: 3" U-Bar (1-1-1-1-1-1) 12'H: 3" U-Bar (1-1-1-1-1-1-1)	15279.12	Solid Only 15279.126	No	No	No
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	101711	16-0	16-0	24	24.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	15279.20	Solid Only 15279.127	No	No	No

W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	101312	18-0	16-0	25	25	N	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1-1)	15279.28	Solid Only 15279.128	No	No	No
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	103486	9-0	16-0	25	32	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	15279.13	Solid Only 15279.130	GDR-2	No	No
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	103454	16-0	16-0	25	25	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (3-2-2-2) 10'H: 3" U-Bar (3-2-2-2-2) 12'H: 3" U-Bar (3-2-2-2-2-2)	15279.21	Solid Only 15279.132	GDR-2	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	103454	16-0	16-0	25	25	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.22	Solid Only 15279.133	GDR-2	No	No
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	103498	18-0	16-0	25	25	N	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)	15279.29	Solid Only 15279.134	GDR-2	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	103498	18-0	16-0	25	25	N	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)	15279.30	Solid Only 15279.135	GDR-2	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	103969	9-0	12-0	28	29	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1) 10'H: 2-1/4" U-Bar (1-1-0-1-1) 12'H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	15279.9	Solid Only 15279.129	No	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104029	16-0	12-0	25.5	25.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)	15279.16	Solid Only 15279.131	No	No	No
Gallery EPS GD2SP, GD2LP (Solid Only)	Gallery EPS GR2SP, GR2LP (Solid Only)	Artistry EPS AR2SP, AR2LP (Solid Only)	Expressions EPS ED2SP, ED2LP (Solid Only)	104017	18-0	12-0	25	25	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	N/A	Solid Only 15279.25	No	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104428	9-0	12-0	28	29	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1) 10'H: 2-1/4" U-Bar (1-1-0-1-1) 12'H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	15279.140	Solid Only 15279.144	No	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104429	16-0	12-0	25.5	25.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)	15279.141	Solid Only 15279.145	No	No	No
Gallery PUR GD2SU, GD2LU (Solid Only)	Gallery PUR GR2SU, GR2LU (Solid Only)	Artistry PUR AR2SU, AR2LU (Solid Only)	Expressions PUR ED2SU, ED2LU (Solid Only)	104430	18-0	12-0	25	25	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	N/A	Solid Only 15279.142	No	No	No
Grand Harbor	N/A	N/A	Stone Manor	103549	9-0	12-0	25	32	N	7'H: 3" U-Bar (1-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	15279.14	No	No	No	No

W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
Grand Harbor	N/A	N/A	Stone Manor	103550	16-0	12-0	24	24.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.23	No	No	No	No
Grand Harbor	N/A	N/A	Stone Manor	103551	18-0	12-0	25	25	N	7'H: 4" C-Channel (1-1-1-1) and 3" U-Bar (0-1-0-1) 8'H: 4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)	15279.31	No	No	No	No
Coachman EPS	Coachman EPS	Settlers EPS	Affinity EPS	103046	16-0	16-0	25	25	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.17	No	GDR-2	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	104471	9-0	16-0	28	29	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1) 10'H: 2-1/4" U-Bar (1-1-0-1-1) 12'H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	No	No	No	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	104472	16-0	16-0	25.5	25.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)	No	No	No	No	No
Coachman Premium PUR (Solid Only)	Coachman Premium PUR (Solid Only)	Settlers Premium PUR (Solid Only)	Affinity Premium PUR (Solid Only)	104473	18-0	16-0	25	25	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	No	No	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104456	9-0	12-0	28	29	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1) 10'H: 2-1/4" U-Bar (1-1-0-1-1) 12'H: 2-1/4" U-Bar (1-1-0-1-1-1-1)	15279.11	No	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104457	16-0	12-0	25.5	25.5	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)	15279.19	No	No	No	No
Canyon Ridge (Solid Only)	Canyon Ridge (Solid Only)	Glenmoor (Solid Only)	CustomCrafted WoodLook (Solid Only)	104458	18-0	12-0	25	25	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.27	No	No	No	No

W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
73, 76, 76V, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	2RST, 4RST, 6RST, 4RSF, 6RSF	102110	9-0	16-0	30	32	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	15279.37	Opt. IR Lites 15279.36	GDR-59	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	104698	16-0	16-0	28	30.5	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15504.4	Opt. IR Lites 15504.3	No	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST, 4RSF, 6RSF	101593	16-0	16-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15279.53	Opt. IR Lites 15279.52	GDR-59	No	No
76, 76V	N/A	N/A	2RST	101593	16-0	16-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15279.54	Solid Only 15279.55	GDR-59 Not 76V	No	No
73, 94, 1500	75, 84A, 190	42, 42B, 48, 48B, 55, 55S	4RST, 6RST	101922	16-0	16-0	32	32	N	7'H: 3" U-Bar (2-2-2-2) * HY 8'H: 3" U-Bar (2-2-2-2-2) * HY 10'H: 3" U-Bar (2-2-2-2-2-2) * HY 12'H: 3" U-Bar (2-2-2-2-2-2-2) * HY	16546.2	Opt. IR Lites 16546.1	GDR-59	No	No
76	N/A	N/A	2RST	101922	16-0	16-0	32	32	N	7'H: 3" U-Bar (2-2-2-2) * HY 8'H: 3" U-Bar (2-2-2-2-2) * HY 10'H: 3" U-Bar (2-2-2-2-2-2) * HY 12'H: 3" U-Bar (2-2-2-2-2-2-2) * HY	No	No	No	No	No
94	84A	48, 48B	4RST	101922	16-0	16-0	34	35	N	7'H: 3" U-Bar (2-2-2-2) HY* 8'H: 3" U-Bar (2-2-2-2-2) HY*	No	Solid Only 15279.69	No	No	No
73SP, 15SP, 76SP, 76VSP	N/A	N/A	N/A	103556	9-0	8-0	32	37	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	15279.39	Opt. IR Lites 15279.40	No	No	No
73SP, 15SP	N/A	N/A	N/A	103723	16-0	8-0	32	37	N	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1)	15279.59	Opt. IR Lites 15279.58	No	No	No
76SP, 76VSP (Solid Only)	N/A	N/A	N/A	103723	16-0	8-0	32	37	N	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1)	15279.60	Solid Only 15279.61	No	No	No
73SP, 15SP	N/A	N/A	N/A	104818	16-0	8-0	32	37	N	7'H: 50ksi T-Strut (1-1-1-1) 8'H: 50ksi T-Strut (1-1-1-1-1) 10'H: 50ksi T-Strut (1-1-1-1-1-1) 12'H: 50ksi T-Strut (1-1-1-1-1-1-1)	16546.9	Opt. IR Lites 16546.8	No	No	No
76SP, 76VSP (Solid Only)	N/A	N/A	N/A	104818	16-0	8-0	32	37	N	7'H: 50ksi T-Strut (1-1-1-1) 8'H: 50ksi T-Strut (1-1-1-1-1) 10'H: 50ksi T-Strut (1-1-1-1-1-1) 12'H: 50ksi T-Strut (1-1-1-1-1-1-1)	N/A	Solid Only 16546.8	No	No	No
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	101595	16-0	8-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2)	15279.44	Solid Only 15279.45	No	No	No
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	102185	16-0	8-0	32	32	N	7'H: 3" U-Bar (2-2-2-2) HY* 8'H: 3" U-Bar (2-2-2-2-2) HY*	15279.66	Solid Only 15279.67	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104866	9-0	16-0	33	37	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	15504.10	Opt. IR Lites 15504.15	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104191	16-0	16-0	32	32	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15504.11	Opt. IR Lites 15504.16	No	No	No

W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	104945	20-2	16-0	30	33	N	7'H: 80ksi T-Strut (1-1-1-1) 8'H: 80ksi T-Strut (1-1-1-1-1) 10'H: 80ksi T-Strut (1-1-1-1-1-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1-1)	17671.8	No	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104188	9-0	16-0	30	32	N	7'H: 2-1/4" U-Bar (1-1-0-1) 8'H: 2-1/4" U-Bar (1-1-0-1-0) 10'H: 2-1/4" U-Bar (1-1-0-1-0-1) 12'H: 2-1/4" U-Bar (1-1-0-1-0-1-0)	15279.34	No	No	No	No
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	102110	9-0	16-0	30	32	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1-1)	15279.37	Solid Only 15279.36	No	No	No
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	101593	16-0	16-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	15279.53	Solid Only 15279.52	No	No	No
Gallery Pan 25ga GD5S, GD5SV	Gallery Pan 25ga GR5S, GR5SV	Artistry Pan 25ga AR5S, AR5SV	Expressions Pan 25ga ED5S, ED5SV	101922	16-0	16-0	32	32	N	7'H: 3" U-Bar (2-2-2-2) * HY 8'H: 3" U-Bar (2-2-2-2-2) * HY 10'H: 3" U-Bar (2-2-2-2-2-2) * HY 12'H: 3" U-Bar (2-2-2-2-2-2-2) * HY	16546.2	Solid Only 16546.1	No	No	No
GD5SSP, GD5SPV	N/A	N/A	N/A	104818	16-0	8-0	32	37	N	7'H: 50ksi T-Strut (1-1-1-1) 8'H: 50ksi T-Strut (1-1-1-1-1) 10'H: 50ksi T-Strut (1-1-1-1-1-1) 12'H: 50ksi T-Strut (1-1-1-1-1-1-1)	16107.48	Solid Only 16107.47	No	No	No
Gallery Pan 24ga GD4S, GD4SV, GD4L, GD4LV	Gallery Pan 24ga GR4S, GR4SV, GR4L, GR4LV	Artistry Pan 24ga AR4S, AR4SV, AR4L, AR4LV	Expressions Pan 24ga ED4S, ED4SV, ED4L, ED4LV	103487	9-0	12-0	30	32	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)	15279.38	No	GDR-2	No	No
Gallery Pan 24ga GD4S, GD4SV	Gallery Pan 24ga GR4S, GR4SV	Artistry Pan 24ga AR4S, AR4SV	Expressions Pan 24ga ED4S, ED4SV	103471	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (3-2-3-2) 10'H: 3" U-Bar (3-2-3-2-3) 12'H: 3" U-Bar (3-2-3-2-3-2)	15279.56	No	GDR-2	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	103471	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (3-2-3-2) 10'H: 3" U-Bar (3-2-3-2-3) 12'H: 3" U-Bar (3-2-3-2-3-2)	15279.57	No	GDR-2	No	No
Gallery EPS GD1SP, GD1LP	Gallery EPS GR1SP, GR1LP	Artistry EPS AR1SP, AR1LP	Expressions EPS ED1SP, ED1LP	103971	9-0	12-0	30	32	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1) 10'H: 2-1/4" U-Bar (2-1-2-1-2) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1)	15279.32	No	No	No	No
Gallery EPS GD1SP, GD1LP (Solid Only)	Gallery EPS GR1SP, GR1LP (Solid Only)	Artistry EPS AR1SP, AR1LP (Solid Only)	Expressions EPS ED1SP, ED1LP (Solid Only)	104004	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) HY* 8'H: 3" U-Bar (2-2-2-2) HY* 10'H: 3" U-Bar (2-2-2-2-2) HY* 12'H: 3" U-Bar (2-2-2-2-2-2) HY*	15279.46	No	No	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104030	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.47	No	No	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104944	20-2	16-0	30	33	N	7'H: 80ksi T-strut (1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1) 8'H: 80ksi T-strut (1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1) 10'H: 80ksi T-strut (1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1) 12'H: 80ksi T-strut (1-1-1-1-1-1-1) and 80ksi 3" U-Bar (1-1-1-1-1-1-1)	17671.9	No	No	No	No
Gallery PUR GD1SU, GD1LU	Gallery PUR GR1SU, GR1LU	Artistry PUR AR1SU, AR1LU	Expressions PUR ED1SU, ED1LU	104426	9-0	12-0	30	32	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1) 10'H: 2-1/4" U-Bar (2-1-2-1-2) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1)	15279.138	No	No	No	No

W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
Gallery PUR GD1SU, GD1LU (Solid Only)	Gallery PUR GR1SU, GR1LU (Solid Only)	Artistry PUR AR1SU, AR1LU (Solid Only)	Expressions PUR ED1SU, ED1LU (Solid Only)	104427	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) HY* 8'H: 3" U-Bar (2-2-2-2) HY* 10'H: 3" U-Bar (2-2-2-2-2) HY* 12'H: 3" U-Bar (2-2-2-2-2-2) HY*	15279.139	No	No	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104431	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.140	No	No	No	No
Grand Harbor	N/A	N/A	Stone Manor	103552	9-0	12-0	30	32	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-2-1) 10'H: 3" U-Bar (2-1-2-1-2) 12'H: 3" U-Bar (2-1-2-1-2-1)	15279.41	No	No	No	No
Grand Harbor	N/A	N/A	Stone Manor	103553	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (3-2-3-2) 10'H: 3" U-Bar (3-2-3-2-3) 12'H: 3" U-Bar (3-2-3-2-3-2)	15279.62	No	No	No	No
Coachman	Coachman	Settlers	Affinity	102996	9-0	12-0	33	37	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	15279.33	No	GDR-2	No	No
Coachman (Solid Only)	Coachman (Solid Only)	Settlers (Solid Only)	Affinity (Solid Only)	102997	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) HY* 8'H: 3" U-Bar (2-2-2-2) HY* 10'H: 3" U-Bar (2-2-2-2-2) HY* 12'H: 3" U-Bar (2-2-2-2-2-2) HY*	15279.48	No	No	No	No
Coachman Premium	Coachman Premium	Settlers	Affinity Gold	103710	16-0	12-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.49	No	GDR-2	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	104474	16-0	16-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	No	No	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104459	9-0	10-0	30	32	N	7'H: 2-1/4" U-Bar (2-1-2-1) 8'H: 2-1/4" U-Bar (2-1-2-1) 10'H: 2-1/4" U-Bar (2-1-2-1-2) 12'H: 2-1/4" U-Bar (2-1-2-1-2-1)	15279.35	No	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104264	16-0	10-0	30	30	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	15279.51	No	No	No	No
AV, AVI	N/A	N/A	N/A	103445	12-2	12-0	32	32	N	7'H: 2"x2" Alum. Angle (2-1-1-1) 8'H: 2"x2" Alum. Angle (2-1-1-1) 10'H: 2"x2" Alum. Angle (2-1-1-1-1) 12'H: 2"x2" Alum. Angle (2-1-1-1-1-1)	15279.43	No	No	No	No
AV, AVI	N/A	N/A	N/A	103447	16-2	12-0	32	32	Y	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1)	15279.65	No	No	No	No
AV, AVI	N/A	N/A	N/A	103446	16-2	12-0	30	30	Y	7'H: Bridge Strut (2-1-1-1) 8'H: Bridge Strut (2-1-1-1) 10'H: Bridge Strut (2-1-1-1-1) 12'H: Bridge Strut (2-1-1-1-1-1)	15279.64	No	No	No	No
AV, AVI	N/A	N/A	N/A	103448	20-2	12-0	30	30	Y	7'H: 6" C-Channel (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1)	15279.71	No	No	No	No
Reserve Coll.	Reserve Coll.	N/A	N/A	102466	9-0	8-0	32	36	N	7'H: 2-1/4" U-Bar (2-1-1) 8'H: 2-1/4" U-Bar (2-1-1-1)	15279.42	No	No	No	No
Reserve Coll. (Hemlock Only)	Reserve Coll. (Hemlock Only)	N/A	N/A	102536	16-0	8-0	30	33.3	N	7'H: 4" C-Channel (1-1-1) 8'H: 4" C-Channel (1-1-1-1)	15279.63	No	No	No	No

* - U-Bar specified 80ksi min yield strength steel

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	101348	9-0	16-0	38	42	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-1-2-1-2) 10"H: 3" U-Bar (2-1-2-1-2-1) 12"H: 3" U-Bar (2-1-2-1-2-1-2)	15279.85	Opt. IR Lites 15279.84	No	No	No
73, 76, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST, 2RST	101348	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-1-2-1-2) 10"H: 3" U-Bar (2-1-2-1-2-1) 12"H: 3" U-Bar (2-1-2-1-2-1-2)	16107.25	Opt. IR Lites16107.24	GDR-59	Opt. IR Lites GDR-59	No
73, 76, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST, 2RST	101539	16-2	16-0	37	41	Y	7"H: 4" C-Channel (1-1-1-1) 8"H: 4" C-Channel (1-1-1-1-1) 10"H: 4" C-Channel (1-1-1-1-1-1) 12"H: 4" C-Channel (1-1-1-1-1-1-1)	15279.102	Opt. IR Lites 15279.101	No	No	No
76	N/A	N/A	2RST	101539	16-2	16-0	37	41	Y	7"H: 4" C-Channel (1-1-1-1) 8"H: 4" C-Channel (1-1-1-1-1) 10"H: 4" C-Channel (1-1-1-1-1-1) 12"H: 4" C-Channel (1-1-1-1-1-1-1)	N/A	Solid Only 15279.103	No	No	No
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	101485	18-2	16-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1)	15279.120	Opt. IR Lites 15279.119	No	No	No
94	84A	48, 48B	4RST	101485	18-2	16-0	37	39	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1)	15279.118	Opt. IR Lites 15279.117	No	No	No
73, 76, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST, 2RST	104710	16-2	16-0	36	42	Y	7"H: 50ksi T-Strut (1-1-1-1-1) 8"H: 50ksi T-Strut (1-1-1-1-1-1) 10"H: 50ksi T-Strut (1-1-1-1-1-1-1) 12"H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16546.5	Opt. IR Lites 16546.4	GDR-59 (short panel only)	Opt. IR Lites GDR-59 (short panel only)	No
94	84A	48, 48B	4RST	104753	16-2	16-0	38	42	Y	7"H: 50ksi T-Strut (1-1-1-1-1) 8"H: 50ksi T-Strut (1-1-1-1-1-1) 10"H: 50ksi T-Strut (1-1-1-1-1-1-1) 12"H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16107.6	Opt. IR Lites 16107.5	GDR-59	Opt. IR Lites GDR-59	Opt. IR Lites 15-0225.09 Exp 2/14/18
73	75	42, 42B	6RST	104761	18-2	16-0	36	42	Y	7"H: 80ksi T-strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) and 3" U-Bar (1-0-1-0-1-0) 10"H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1) and 3" U-Bar (1-0-1-0-1-0-1-0) 12"H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1-1)	16107.12	Opt. IR Lites 16107.11	GDR-59	Opt. IR Lites GDR-59	No
94	84A	48, 48B	4RST	104761	18-2	16-0	36	42	Y	7"H: 80ksi T-strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) and 3" U-Bar (1-0-1-0-1-0) 10"H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1) and 3" U-Bar (1-0-1-0-1-0-1-0) 12"H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0-1-1)	16107.12	Opt. IR Lites 16107.11	GDR-59	Opt. IR Lites GDR-59	Opt. IR Lites 15-0225.11 Exp 2/21/18
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	101654	9-0	16-0	37	37	N	7"H: 2-1/4" U-Bar (2-1-1-1) * HY 8"H: 2-1/4" U-Bar (2-1-1-1-1) * HY 10"H: 3" U-Bar (2-1-1-1-1-1) * HY 12"H: 3" U-Bar (2-1-1-1-1-1-1) * HY	15279.72	No	No	No	No
4050, 4051, 4053	2050, 2051, 2053	62, 62LG, 62G, 64, 64G, 65, 6130, 6131, 6133	134, 135, 136, SDP38, SRP38, SFL38	104814	9-0	16-0	36	44	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-1-2-1-2) 10"H: 3" U-Bar (2-1-2-1-2-1) 12"H: 3" U-Bar (2-1-2-1-2-1-2)	16546.11	Solid Only 16546.10	No	No	No
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101526	9-0	16-0	37	40	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	15279.74	Opt. IR Lites 15279.73	No	No	No
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101486	16-2	12-0	37	40	Y	7"H: 4" C-Channel (1-1-1-1) 8"H: 4" C-Channel (1-1-1-1-1) 10"H: 4" C-Channel (1-1-1-1-1-1) 12"H: 4" C-Channel (1-1-1-1-1-1-1)	15279.93	Opt. IR Lites 15279.94	No	No	No

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101487	18-2	10-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1-1)	15279.111	Opt. IR Lites 15279.110	No	No	No
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101526	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	15504.13 16107.23	Opt. IR Lites 15504.12 16107.22	No	Opt. IR Lites GDR-02	No
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	104724	16-2	16-0	38	42	Y	7"H: 50ksi T-Strut (1-1-1-1-1) 8"H: 50ksi T-Strut (1-1-1-1-1-1) 10"H: 50ksi T-Strut (1-1-1-1-1-1-1) 12"H: 50ksi T-Strut (1-1-1-1-1-1-1-1)	16107.2	Opt. IR Lites 16107.1	No	Opt. IR Lites GDR-02	Opt. IR Lites 15-0225.14 Exp 12/27/17
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	104751	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1-1)	16107.8	Opt. IR Lites 16107.7	No	Opt. IR Lites GDR-02	Opt. IR Lites 15-0225.07 Exp 1/31/18
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104180	9-0	16-0	37	37	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	15279.79	No	No	No	No
9130, 9131, 9133	HDP13, HDPF13, HDPL13	7130, 7131, 7133	8130, 8131, 8133	104180	9-0	16-0	37	37	N	7"H: 2-1/4" U-Bar (2-1-1-1) 8"H: 2-1/4" U-Bar (2-1-1-1-1) 10"H: 2-1/4" U-Bar (2-1-1-1-1-1) 12"H: 2-1/4" U-Bar (2-1-1-1-1-1-1)	15279.79	No	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104184	9-0	16-0	37	40	N	7"H: 3" U-Bar (1-1-0-1) 8"H: 3" U-Bar (1-1-1-0-1) 10"H: 3" U-Bar (1-1-1-1-0-1) 12"H: 3" U-Bar (1-1-1-1-1-0-1)	15279.81	Opt. IR Lites 15279.80	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104184	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16107.42	Opt. IR Lites 16107.41	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104234	16-2	16-0	37	40	Y	7"H: 3" 80 KSI U-Bar (2-2-2-2) 8"H: 3" 80 KSI U-Bar (2-2-2-2-2) 10"H: 3" 80 KSI U-Bar (2-2-2-2-2-2) 12"H: 3" 80 KSI U-Bar (2-2-2-2-2-2-2)	15279.99	Opt. IR Lites 15279.98	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104879	16-2	16-0	38	42	Y	7"H: 50ksi T-Strut (1-1-1-1) 8"H: 50ksi T-Strut (1-1-1-1-1) 10"H: 50ksi T-Strut (1-1-1-1-1-1) 12"H: 50ksi T-Strut (1-1-1-1-1-1-1)	16107.44	Opt. IR Lites 16107.43	No	No	No
9200, 9201, 9203 (Solid Only)	HDP20 HDPF20, HDPL20 (Solid Only)	7200, 7201, 7203 (Solid Only)	8200, 8201, 8203 (Solid Only)	104261	18-2	16-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1)	N/A	Solid Only 15279.114	No	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104777	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16107.11	Opt. IR Lites 16107.10	No	No	No
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	101348	9-0	16-0	38	42	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-1-2-1-2) 10"H: 3" U-Bar (2-1-2-1-2-1) 12"H: 3" U-Bar (2-1-2-1-2-1-2)	15279.85	Solid Only 15279.84	No	No	No
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	101539	16-2	16-0	37	41	Y	7"H: 4" C-Channel (1-1-1-1) 8"H: 4" C-Channel (1-1-1-1-1) 10"H: 4" C-Channel (1-1-1-1-1-1) 12"H: 4" C-Channel (1-1-1-1-1-1-1)	15279.102	Solid Only 15279.101	No	No	No
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	101485	18-2	16-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1)	15279.120	Solid Only 15279.119	No	No	No
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	101348	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-1-2-1-2) 10"H: 3" U-Bar (2-1-2-1-2-1) 12"H: 3" U-Bar (2-1-2-1-2-1-2)	16107.25	Solid Only 16107.24	No	No	No

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	104710	16-2	16-0	36	42	Y	7"H: 50ksi T-Strut (1-1-1-1) 8"H: 50ksi T-Strut (1-1-1-1-1) 10"H: 50ksi T-Strut (1-1-1-1-1-1) 12"H: 50ksi T-Strut (1-1-1-1-1-1-1)	16546.5	Solid Only 16546.4	GDR-59	GDR-59	No
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	104761	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16107.12	Solid Only 16107.11	GDR-59	GDR-59	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	103488	9-0	16-0	37	37	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-2-2-2) 10"H: 3" U-Bar (2-2-2-2-2) 12"H: 3" U-Bar (2-2-2-2-2-2)	15279.87	Solid Only 15279.86	GDR-2	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	103488	9-0	16-0	37	37	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-2-2-2) 10"H: 3" U-Bar (2-2-2-2-2) 12"H: 3" U-Bar (2-2-2-2-2-2)	15279.88	Solid Only 15279.89	GDR-2	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	103489	16-2	12-0	37	41	Y	7"H: 4" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1)	15279.105	Solid Only 15279.104	GDR-2	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	103489	16-2	12-0	37	41	Y	7"H: 4" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1)	15279.106	Solid Only 15279.107	GDR-2	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	103406	18-2	7-0**	37	39	Y	7"H: 6" C-Channel (1-1-1-1)	15279.122	Solid Only 15279.121	No	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	103488	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-2-2-2) 10"H: 3" U-Bar (2-2-2-2-2) 12"H: 3" U-Bar (2-2-2-2-2-2)	16107.33	Opt. IR Lites 16107.32	No	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	103488	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-2-2-2) 10"H: 3" U-Bar (2-2-2-2-2) 12"H: 3" U-Bar (2-2-2-2-2-2)	16107.35	Opt. IR Lites 16107.34	No	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	104790	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) and (1) 3" 80ksi u-bar 10"H: 80ksi T-Strut (1-1-1-1-1-1) and (1) 3" 80ksi u-bar 12"H: 80ksi T-Strut (1-1-1-1-1-1-1) and (1) 3" 80ksi u-bar	16107.37	Opt. IR Lites 16107.36	No	No	No
Gallery Pan 24ga GD4L	Gallery Pan 24ga GR4L	Artistry Pan 24ga AR4L	Expressions Pan 24ga ED4L	104790	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) and (1) 3" 80ksi u-bar 10"H: 80ksi T-Strut (1-1-1-1-1-1) and (1) 3" 80ksi u-bar 12"H: 80ksi T-Strut (1-1-1-1-1-1-1) and (1) 3" 80ksi u-bar	16107.39	Opt. IR Lites 16107.38	No	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	103954	9-0	16-0	38	42	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	15279.76	Solid Only 15279.75	No	No	Opt. IR Lites 14-0708.01 Exp 2/5/20
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104009	16-2	12-0	37	40	Y	7"H: 4" 14-ga C-Channel (1-1-1-1) 8"H: 4" 14-ga C-Channel (1-1-1-1) 10"H: 4" 14-ga C-Channel (1-1-1-1-1) 12"H: 4" 14-ga C-Channel (1-1-1-1-1-1)	15279.96	Solid Only 15279.95	No	No	No
Gallery EPS GD2SP, GD2LP (Solid Only)	Gallery EPS GR2SP, GR2LP (Solid Only)	Artistry EPS AR2SP, AR2LP (Solid Only)	Expressions EPS ED2SP, ED2LP (Solid Only)	104013	18-2	12-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1)	N/A	Solid Only 15279.112	No	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	103954	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16546.27	Opt. IR Lites 16546.26	No	Opt. IR Lites GDR-02	No

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104785	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.24	Opt. IR Lites 16546.23	No	Opt. IR Lites GDR-02	Opt. IR Lites 15-0225.21 Exp 7/18/18
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104810	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.17	Opt. IR Lites 16546.16	No	Opt. IR Lites GDR-02	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104432	9-0	12-0	38	42	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16546.13	Opt. IR Lites 16546.12	No	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104433	16-2	12-0	37	40	Y	7"H: 4" 14-ga C-Channel (1-1-1-1) 8"H: 4" 14-ga C-Channel (1-1-1-1) 10"H: 4" 14-ga C-Channel (1-1-1-1-1-1) 12"H: 4" 14-ga C-Channel (1-1-1-1-1-1-1)	No	No	No	No	No
Gallery PUR GD2SU, GD2LU (Solid Only)	Gallery PUR GR2SU, GR2LU (Solid Only)	Artistry PUR AR2SU, AR2LU (Solid Only)	Expressions PUR ED2SU, ED2LU (Solid Only)	104434	18-2	12-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1-1)	No	No	No	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104820	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.15	Opt. IR Lites 16546.14	No	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104821	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10"H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.19	Opt. IR Lites 16546.18	No	No	No
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	103954	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16546.27	Opt. IR Lites 16546.26	No	No	No
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	104785	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.24	Opt. IR Lites 16546.23	No	No	Opt. IR Lites 15-0225.21 Exp 7/18/18
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	104810	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10"H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.17	Opt. IR Lites 16546.16	No	No	No
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	103954	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16546.27	Opt. IR Lites 16546.26	No	Opt. IR Lites GDR-02	No
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	104785	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.24	Opt. IR Lites 16546.23	No	Opt. IR Lites GDR-02	No
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	104810	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10"H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.17	Opt. IR Lites 16546.16	No	Opt. IR Lites GDR-02	No

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	104432	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16546.13	Opt. IR Lites 16546.12	No	No	No
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	104820	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.15	Opt. IR Lites 16546.14	No	No	No
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	104821	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10"H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.19	Opt. IR Lites 16546.18	No	No	No
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	104432	9-0	16-0	38	44	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1-1)	16546.13	Opt. IR Lites 16546.12	No	No	No
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	104820	16-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) 8"H: 80ksi T-Strut (1-1-1-1-1) 10"H: 80ksi T-Strut (1-1-1-1-1-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.15	Opt. IR Lites 16546.14	No	No	No
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	104821	18-2	16-0	38	42	Y	7"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8"H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10"H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12"H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.19	Opt. IR Lites 16546.18	No	No	No
Grand Harbor	N/A	N/A	Stone Manor	103554	9-0	12-0	37	37	N	7"H: 3" U-Bar (2-1-2-1) 8"H: 3" U-Bar (2-2-2-2) 10"H: 3" U-Bar (2-2-2-2-2) 12"H: 3" U-Bar (2-2-2-2-2-2)	15279.90	Solid Only 15279.91	No	No	No
Grand Harbor	N/A	N/A	Stone Manor	103555	16-2	12-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1)	15279.108	Solid Only 15279.109	No	No	No
Coachman Premium EPS	Coachman Premium EPS	Settlers EPS	Affinity Gold EPS	103223	9-0	12-0	38	42	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1)	15279.78	Solid Only 15279.77	GDR-2	No	No
Coachman Premium EPS (Solid Only)	Coachman Premium EPS (Solid Only)	Settlers EPS (Solid Only)	Affinity Gold EPS (Solid Only)	103243	16-2	12-0	37.5	40	Y	7"H: 4" 14-ga C-Channel (1-1-1-1) 8"H: 4" 14-ga C-Channel (1-1-1-1) 10"H: 4" 14-ga C-Channel (1-1-1-1-1) 12"H: 4" 14-ga C-Channel (1-1-1-1-1-1)	N/A	Solid Only 15279.97	GDR-2	No	No
Coachman Premium EPS (Solid Only)	Coachman Premium EPS (Solid Only)	Settlers EPS (Solid Only)	Affinity Gold EPS (Solid Only)	103519	18-2	12-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1)	N/A	Solid Only 15279.113	GDR-2	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	104475	9-0	12-0	38	42	N	7"H: 3" U-Bar (2-1-1-1) 8"H: 3" U-Bar (2-1-1-1) 10"H: 3" U-Bar (2-1-1-1-1) 12"H: 3" U-Bar (2-1-1-1-1-1)	No	No	No	No	No
Coachman Premium PUR (Solid Only)	Coachman Premium PUR (Solid Only)	Settlers PUR (Solid Only)	Affinity Gold PUR (Solid Only)	104476	16-2	12-0	37.5	40	Y	7"H: 4" 14-ga C-Channel (1-1-1-1) 8"H: 4" 14-ga C-Channel (1-1-1-1) 10"H: 4" 14-ga C-Channel (1-1-1-1-1) 12"H: 4" 14-ga C-Channel (1-1-1-1-1-1)	No	No	No	No	No
Coachman Premium PUR (Solid Only)	Coachman Premium PUR (Solid Only)	Settlers PUR (Solid Only)	Affinity Gold PUR (Solid Only)	104477	18-2	12-0	37	37	Y	7"H: 6" C-Channel (1-1-1-1) 8"H: 6" C-Channel (1-1-1-1) 10"H: 6" C-Channel (1-1-1-1-1) 12"H: 6" C-Channel (1-1-1-1-1-1)	No	No	No	No	No

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	104948	9-0	16-0	38	44	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	16546.27	Optional IR Lites 16546.26	No	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	104932	16-2	16-0	38	42	Y	7'H: 80ksi T-Strut (1-1-1-1) 8'H: 80ksi T-Strut (1-1-1-1-1) 10'H: 80ksi T-Strut (1-1-1-1-1-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.31	Optional IR Lites 16546.30	No	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers PUR	Affinity Gold PUR	104951	18-2	16-0	38	42	Y	7'H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8'H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10'H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.33	Optional IR Lites 16546.32	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104265	9-0	12-0	38	42	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	15279.83	Solid Only 15279.82	No	No	No
Canyon Ridge (Solid Only)	Canyon Ridge (Solid Only)	Glenmoor (Solid Only)	CustomCrafted WoodLook (Solid Only)	104266	16-2	12-0	37.5	40	Y	7'H: 4" 14-ga C-Channel (1-1-1-1) 8'H: 4" 14-ga C-Channel (1-1-1-1) 10'H: 4" 14-ga C-Channel (1-1-1-1-1) 12'H: 4" 14-ga C-Channel (1-1-1-1-1-1)	N/A	Solid Only 15279.100	No	No	No
Canyon Ridge (Solid Only)	Canyon Ridge (Solid Only)	Glenmoor (Solid Only)	CustomCrafted WoodLook (Solid Only)	104267	18-2	12-0	37	37	Y	7'H: 6" C-Channel (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1)	N/A	Solid Only 15279.116	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104948	9-0	16-0	38	44	N	7'H: 3" U-Bar (2-1-1-1) 8'H: 3" U-Bar (2-1-1-1) 10'H: 3" U-Bar (2-1-1-1-1) 12'H: 3" U-Bar (2-1-1-1-1-1)	16546.27	Optional IR Lites 16546.26	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104932	16-2	16-0	38	42	Y	7'H: 80ksi T-Strut (1-1-1-1) 8'H: 80ksi T-Strut (1-1-1-1-1) 10'H: 80ksi T-Strut (1-1-1-1-1-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1-1)	16546.31	Optional IR Lites 16546.30	No	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104951	18-2	16-0	38	42	Y	7'H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 8'H: 80ksi T-Strut (1-1-1-1) and 3" U-Bar (1-0-1-0) 10'H: 80ksi T-Strut (1-1-1-1-1) and 3" U-Bar (1-0-1-0-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1) and 3" U-Bar (1-0-1-0-1-0)	16546.33	Optional IR Lites 16546.32	No	No	No
Custom Reserve Coll.	Custom Reserve Coll.	N/A	N/A	102833	9-0	12-0	39	45	N	7'H: 2-1/4" U-Bar (2-1-1) 8'H: 2-1/4" U-Bar (2-1-1) 10'H: 2-1/4" U-Bar (2-1-1-1) 12'H: 2-1/4" U-Bar (2-1-1-1)	15279.92	No	No	No	No

* - U-Bar specified 80ksi min yield strength steel

W7 DOOR LIST (all W7 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
73	75	42, 42B	6RST	101702	9-0	12-0	42	48	N	7'H: 2-1/4" U-Bar (2-2-1-2) 8'H: 2-1/4" U-Bar (2-2-1-2-2) 10'H: 2-1/4" U-Bar (2-2-1-2-2-2) 12'H: 2-1/4" U-Bar (2-2-1-2-2-2-2)	Opt. IR Lites 5684.2	No	No
94	84A	48, 48B	4RST	101702	9-0	12-0	42	48	N	7'H: 2-1/4" U-Bar (2-2-1-2) 8'H: 2-1/4" U-Bar (2-2-1-2-2) 10'H: 2-1/4" U-Bar (2-2-1-2-2-2) 12'H: 2-1/4" U-Bar (2-2-1-2-2-2-2)	Opt. IR Lites 5684.2	No	Opt. IR Lites 15-0225.16 Exp 8/21/18
73, 94	75, 84A	42, 42B, 48, 48B	4RST, 6RST	101309	16-2	12-0	42	48	Y	7'H: 6" C-Channel (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1)	Opt. IR Lites 5684.3	No	No
94	84A	48, 48B	4RST	102621	18-2	12-0	42	46	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (2-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (2-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1)	Solid Only 5684.4	No	No
94	84A	48, 48B	4RST, 4F	104762	18-2	16-0	41	46	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" U-Bar (2-1-1-1) 8'H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1) 10'H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1) 12'H: 80ksi T-strut (1-1-1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1-1-1)	Opt. IR Lites 16107.13	No	Opt. IR Lites 15-0225.12 Exp 3/7/18
Gallery Pan 25ga GD5S	Gallery Pan 25ga GR5S	Artistry Pan 25ga AR5S	Expressions Pan 25ga ED5S	101702	9-0	16-0	42	48	N	7'H: 2-1/4" U-Bar (2-2-1-2) 8'H: 2-1/4" U-Bar (2-2-1-2-2) 10'H: 2-1/4" U-Bar (2-2-1-2-2-2) 12'H: 2-1/4" U-Bar (2-2-1-2-2-2-2)	Solid Only 16107.46	No	No

W8 DOOR LIST (all W8 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
73	75	42, 42B	6RST	101296	9-0	12-0	46	50	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	Opt. IR Lites 5684.6	No	No
94	84A	48, 48B	4F, 4RST	103287	9-0	12-0	54	62	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	Solid Only 5684.7	No	Solid Only 15-0225.04 Exp 9/15/15
94	84A	48, 48B	4F, 4RST	103547	9-0	12-0	48	54	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	Opt. IR Lites 5684.8	No	Opt. IR Lites 15-0225.03 Exp 2/21/17
94	84A	48, 48B	4F, 4RST	101300	16-2	12-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1)	Opt. IR Lites 5684.17	No	No
94	84A	48, 48B	4F, 4RST	104754	16-2	16-0	46	50	Y	7'H: 80ksi T-Strut (1-1-1-1) 8'H: 80ksi T-Strut (1-1-1-1-1) 10'H: 80ksi T-Strut (1-1-1-1-1-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1-1)	Opt. IR Lites 16107.14	No	Opt. IR Lites 15-0225.10 Exp 2/21/18
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101703	9-0	16-0	48	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2-2)	Opt. IR Lites 5684.5	Opt. IR Lites GDR-2	Opt. IR Lites 15-0225.06 Exp 9/20/17
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	101488	16-2	16-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1)	Opt. IR Lites 5684.16	No	No
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	103028	18-2	16-0	46	50	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	Solid Only 5684.18	No	No
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	104736	16-2	16-0	46	52	Y	7'H: 80ksi T-Strut (1-1-1-1) 8'H: 80ksi T-Strut (1-1-1-1-1) 10'H: 80ksi T-Strut (1-1-1-1-1-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1-1)	Opt. IR Lites 16107.14	Opt. IR Lites GDR-2	Opt. IR Lites 15-0225.15 Exp 1/31/18
4300, 4301, 4310	HDG, HDGF, HDGL	66, 66G, 67, 67G, 68, 6200, 6201, 6203	SP200, SF200, SE200	104752	18-2	16-0	46	50	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10'H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12'H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	Opt. IR Lites 16107.16	Opt. IR Lites GDR-2	Opt. IR Lites 15-0225.08 Exp 2/14/18
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104185	9-0	16-0	48	50	N	7'H: 3" U-Bar (2-1-2-1) 8'H: 3" U-Bar (2-1-2-1-2) 10'H: 3" U-Bar (2-1-2-1-2-1) 12'H: 3" U-Bar (2-1-2-1-2-1-2)	Opt. IR Lites 5684.21	No	No

W8 DOOR LIST (all W8 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104280	16-2	16-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1)	Opt. IR Lites 5684.22	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104281	18-2	12-0	46	50	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	Solid Only 5684.23	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104778	16-2	16-0	46	52	Y	7'H: 80ksi T-Strut (1-1-1-1) 8'H: 80ksi T-Strut (1-1-1-1-1) 10'H: 80ksi T-Strut (1-1-1-1-1-1) 12'H: 80ksi T-Strut (1-1-1-1-1-1-1)	Opt. IR Lites 16107.17	No	No
9200, 9201, 9203	HDP20 HDPF20, HDPL20	7200, 7201, 7203	8200, 8201, 8203	104779	18-2	16-0	46	50	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 80ksi T-strut (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10'H: 80ksi T-strut (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12'H: 80ksi T-strut (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	Opt. IR Lites 16107.18	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	104121	9-0	16-0	50	58	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (3-2-3-2) 10'H: 3" U-Bar (3-2-3-2-3) 12'H: 3" U-Bar (3-2-3-2-3-2)	Solid Only 5684.20	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	104121	9-0	16-0	50	58	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (3-2-3-2) 10'H: 3" U-Bar (3-2-3-2-3) 12'H: 3" U-Bar (3-2-3-2-3-2)	Opt. IR Lites 15504.14	No	Opt. IR Lites 15-0225.25 Exp 12/16/19
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	104067	16-2	16-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	Solid Only 5684.13	No	No
Gallery Pan 24ga GD4S	Gallery Pan 24ga GR4S	Artistry Pan 24ga AR4S	Expressions Pan 24ga ED4S	104791	16-2	16-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1-0) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (0-1-0-1-0-1)	Opt. IR Lites 16546.3	No	Opt. IR Lites 15-0225.26 Exp 8/1/18
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104119	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Solid Only 5684.1	No	No

W8 DOOR LIST (all W8 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104119	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Opt. IR Lites 16546.36	No	Opt. IR Lites 15-0225.24 Exp 12/16/19
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104038	16-2	16-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (2-1-1-1) 8'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (2-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (2-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (2-1-1-1-1-1)	Solid Only 5684.14	No	No
Gallery EPS GD2SP, GD2LP	Gallery EPS GR2SP, GR2LP	Artistry EPS AR2SP, AR2LP	Expressions EPS ED2SP, ED2LP	104786	16-2	16-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Opt. IR Lites 16546.25	No	Opt. IR Lites 15-0225.20 Exp 7/18/18
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104435	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Opt. IR Lites 16546.20	No	No
Gallery PUR GD2SU, GD2LU	Gallery PUR GR2SU, GR2LU	Artistry PUR AR2SU, AR2LU	Expressions PUR ED2SU, ED2LU	104822	16-2	12-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Opt. IR Lites 16546.21	No	No
EPS Cypress 4302	EPS Cypress HDGC	EPS Cypress 6202	EPS Cypress SFC68	104119	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Opt. IR Lites 16546.36	No	Opt. IR Lites 15-0225.24 Exp 12/16/19
EPS Cypress 4302	EPS Cypress HDGC (not Dade listed)	EPS Cypress 6202	EPS Cypress SFC68	104786	16-2	16-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Opt. IR Lites 16546.25	No	Opt. IR Lites 15-0225.20 Exp 7/18/18
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	104119	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Opt. IR Lites 16546.36	No	No

W8 DOOR LIST (all W8 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
EPS Grooved 4305	EPS Grooved HDGR	EPS Grooved 6205	EPS Grooved SFR68	104786	16-2	16-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Opt. IR Lites 16546.25	No	No
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	104435	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Opt. IR Lites 16546.20	No	No
PUR Cypress 9202	PUR Cypress HDPC20	PUR Cypress 7202	PUR Cypress 8202	104822	16-2	12-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Opt. IR Lites 16546.21	No	No
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	104435	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Opt. IR Lites 16546.20	No	No
PUR Grooved 9205	PUR Grooved HDPR20	PUR Grooved 7205	PUR Grooved 8205	104822	16-2	12-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Opt. IR Lites 16546.21	No	No
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	103436	9-0	12-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Solid Only 5684.9	Solid Only GDR-2	Solid Only 15-0225.05 Exp 9/7/16
Coachman Premium EPS	Coachman Premium EPS	Settlers Premium EPS	Affinity Premium EPS	103560	16-2	12-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)	Solid Only 5684.15	No	Solid Only 15-0225.13 Exp 3/6/18
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	104478	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	No	No	No

W8 DOOR LIST (all W8 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	104479	16-2	16-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1)	No	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	104949	9-0	16-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Optional IR Lites 16546.34	No	No
Coachman Premium PUR	Coachman Premium PUR	Settlers Premium PUR	Affinity Premium PUR	104928	16-2	16-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Optional IR Lites 16546.35	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104277	9-0	12-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Solid Only 5684.24	No	Solid Only 15-0225.01 Exp 2/23/17
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104278	16-2	12-0	46.6	52	Y	7'H: 6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1) 8'H: 6" C-Channel (1-1-1-1-1) and 3" U-Bar (1-1-1-1-1) 10'H: 6" C-Channel (1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1) 12'H: 6" C-Channel (1-1-1-1-1-1-1) and 3" U-Bar (1-1-1-1-1-1-1)	Solid Only 5684.25	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104949	9-0	12-0	54	60	N	7'H: 3" U-Bar (2-2-2-2) 8'H: 3" U-Bar (2-2-2-2) 10'H: 3" U-Bar (2-2-2-2-2) 12'H: 3" U-Bar (2-2-2-2-2-2)	Optional IR Lites 16546.34	No	No
Canyon Ridge	Canyon Ridge	Glenmoor	CustomCrafted WoodLook	104928	16-2	12-0	46	52	Y	7'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 8'H: 80ksi T-strut (1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0) 10'H: 80ksi T-strut (1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1) 12'H: 80ksi T-strut (1-1-1-1-1-1) and 3" 80 ksi U-Bar (1-0-1-0-1-0)	Optional IR Lites 16546.35	No	No

W9 DOOR LIST (all W9 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Clopay Retail Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Double End Stiles	Horizontal Reinforcement	Florida Approved IMPACT RESISTANT	TDI listed IMPACT RESISTANT	Dade listed
94	84A	N/A	93	101706	9-0	16-0	62	72	Y	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1-1)	Opt. IR Lites 5684.19	No	Opt. IR Lites 15-0225.18 Exp 9/25/18
94	84A	N/A	93	104847	9-0	16-0	62	72	Y	7'H: 4" C-Channel (1-1-1-1) 8'H: 4" C-Channel (1-1-1-1-1) 10'H: 4" C-Channel (1-1-1-1-1-1) 12'H: 4" C-Channel (1-1-1-1-1-1-1)	Opt. IR Lites 16761.10	No	No

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement
3150	210	N/A	102964	10-2	18-0	13.5	13.5	None
3150	210	N/A	102965	12-2	18-0	13.5	13.5	2-1/4" U-Bar (1-0-1-0)
3150	210	N/A	102966	14-2	18-0	13.5	13.5	2-1/4" U-Bar (1-1-1-1)
3200, 3220, 3300	240	N/A	102887	10-2	18-0	20	21	None
3200, 3220, 3300	240	N/A	102881	12-2	18-0	13.5	13.5	None
3200, 3220, 3300	240	N/A	102883	14-2	18-0	13.5	13.5	3" U-Bar (1-0-1-0)
3200, 3220, 3300	240	N/A	103611	16-2	18-0	13.5	13.5	2-1/4" U-Bar (1-1-0-1)
3200, 3220, 3300	240	N/A	103619	20-2	18-0	13.5	13.5	3" U-Bar (2-1-1-1)
3200, 3220	240	N/A	104366	24-2	18-0	13.3	13.3	3" U-Bar (2-2-2-2)
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104091	12-2	18-0	13.5	13.5	None
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104092	14-2	18-0	13.5	13.5	3" U-Bar (1-0-1-0)
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104083	16-2	18-0	13.5	13.5	3" U-Bar (1-1-1-1)
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104094	20-2	18-0	13.5	13.5	3" U-Bar (2-1-1-1)
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104368	24-2	18-0	13.3	13.3	3" U-Bar (2-2-2-2)
524, 524S, 524V, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	104853	9-2	18-0	13.5	13.5	None
524, 524S, 524V, 525, 525S, 525V, 520, 520S	224, 224S, 225, 225S	C4ST, C4SV, C4SS, C5ST, C5SV, C5SS, C0ST, C0SS	102961	10-2	18-0	13.5	13.5	2-1/4" 24Ga U-Bar (1-0-1-0)
524, 524S, 524V, 525, 525S, 525V, 520, 520S	224, 224S, 225, 225S	C4ST, C4SV, C4SS, C5ST, C5SV, C5SS, C0ST, C0SS	102963	14-2	18-0	13.5	13.5	3" U-Bar (1-1-1-1)
524, 524S, 524V, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	103056	16-2	18-0	13.5	13.5	3" U-Bar (2-1-1-1)
524, 524S, 524V, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	103618	20-2	18-0	13.5	13.5	3" U-Bar (2-2-2-2)
524, 524S, 524V, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	104365	24-2	18-0	13.3	13.3	6" C-Channel (1-1-1-1)
520, 520S	N/A	C0ST, C0SS	102967	10-2	18-0	16.5	16.5	None
902	N/A	C2AL	103291	12-2	18-0	16.5	16.5	As standard
902	N/A	C2AL	103292	14-2	18-0	13.5	13.5	As standard

W1 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement
902	N/A	C2AL	103610	16-2	18-0	13.5	13.5	As standard
902	N/A	C2AL	103617	20-2	18-0	13.5	13.5	Stock 2"x2" L-angles (1-1-1-1) & 3" U-Bar (2-1-1-1)
902	N/A	C2AL	104367	24-2	18-0	13.3	13.3	2"x2" Alum. Angle (2-1-1-1) with offset plates
664, 664V	N/A	C4RT, C4RV	102894	9-0	14-0	13	15	2-1/4" U-Bar (1-1-0-1)
664, 664V	N/A	C4RT, C4RV	102895	16-0	14-0	12.5	14	3" U-Bar (2-1-1-1)
664, 664V	N/A	C4RT, C4RV	102899	18-0	14-0	12.5	14	3" U-Bar (2-1-2-1)
3154, 3155	230B	N/A	102981	9-0	14-0	13	15	2-1/4" U-Bar (1-0-1-0)
3154, 3155	230B	N/A	102982	16-0	14-0	12.5	14	2-1/4" U-Bar (2-1-2-1)
3154, 3155	230B	N/A	102983	18-0	14-0	12.5	14	3" U-Bar (2-1-1-1)
3211, 3213	250G	CDP68, CFL68	102884	9-0	14-0	13	15	None
3211, 3213	250G	CDP68, CFL68	102885	16-0	14-0	12.5	14	2-1/4" U-Bar (1-0-1-0)
3211, 3213	250G	CDP68, CFL68	102886	18-0	14-0	12.5	14	3" U-Bar (1-1-1-1)

W4 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
692	N/A	N/A	101762	9-0	14-0	25	32	3" U-Bar (1-1-1-1)	5678.3	No	No	No	N/A
692	N/A	N/A	101781	16-0	14-0	24	24.5	3" U-Bar (2-1-2-1)	5678.4	No	No	No	N/A
3203	N/A	N/A	101758	9-0	14-0	28	29	2-1/4" U-Bar (varies)	5678.1	No	No	No	N/A
3203	N/A	N/A	101760	16-0	14-0	25.5	25.5	3" U-Bar (2-1-1-1)	5678.2	No	No	No	N/A
3200, 3220	240	N/A	104994	9-2	18-0	25	25	none	17671.11	No	No	No	N/A
3200, 3220	240	N/A	101687	12-2	18-0	25	28	2-1/4" U-Bar (2-1-1-1)	5678.5	No	GDR-24	No	N/A
3200, 3220	240	N/A	104971	14-2	18-0	25	25	3" U-Bar (2-1-1-1)	17671.13	No	No	No	N/A
3200, 3220	240	N/A	101682	20-2	18-0	25	28	6" C-Channel (1-1-1-1)	5678.6	No	GDR-24	No	N/A
3200, 3220	N/A	N/A	103334	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.7	No	GDR-24	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104993	9-2	18-0	25	25	none	17671.12	No	No	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104040	10-2	18-0	25	25	2-1/4" U-Bar (1-0-1-0)	5678.8	No	No	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104640	12-2	18-0	25	28	2-1/4" U-Bar (2-1-1-1)	No	No	No	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104956	14-2	18-0	25	25	3" U-Bar (2-1-1-1)	17671.14	No	No	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104101	20-2	18-0	25	28	6" C-Channel (1-1-1-1)	No	No	No	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104642	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	No	No	No	No	N/A
525, 525V, 525S, 524, 524V, 524S, 520, 520S	225, 225S, 224, 224S	C5ST, C5SV, C5SS, C4ST, C4SV, C4SS, C0ST, C0SS	101856	12-2	18-0	25	25	3" U-Bar (2-1-1-1)	5678.9	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	101886	16-2	18-0	25	25	4" C-Channel (1-1-1-1)	5678.10	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102126	20-2	18-0	25	25	6" C-Channel (1-1-1-1)	5678.11	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	N/A	C4ST, C4SV, C4SS, C0ST, C0SS	103333	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.12	No	GDR-24	No	N/A
902	N/A	C2AL	103332	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.13	No	GDR-24	No	N/A

W5 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
902	N/A	C2AL	103275	12-2	18-0	32	32	2"x2" Alum. Angle (2-1-1-1)	5678.22	No	GDR-24	No	N/A
902	N/A	C2AL	103294	16-2	18-0	32	32	4" C-Channel (1-1-1-1)	5678.23	No	GDR-24	No	N/A
902	N/A	C2AL	103295	16-2	18-0	30	30	2"x2" Alum. Angle (2-1-1-1)*	5678.24	No	No	No	N/A
902	N/A	C2AL	103296	20-2	18-0	30	30	6" C-Channel (1-1-1-1)	5678.25	No	GDR-24	No	N/A
902	N/A	C2AL	103324	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.26	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	101874	8-2	18-0	30	30	2-1/4" U-Bar (1-1-1-1)	5678.17	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	101875	10-2	18-0	30	30	3" U-Bar (1-1-1-1)	5678.18	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	101869	12-2	18-0	30	30	3" U-Bar (2-2-2-2)	5678.19	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	101885	16-2	18-0	32	32	4" C-Channel (1-1-1-1)	5678.20	No	GDR-24	No	N/A
524, 524V, 524S, 520, 520S	N/A	C4ST, C4SV, C4SS, C0ST, C0SS	103319	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.21	No	GDR-24	No	N/A
3200, 3220	240	N/A	200040	16-2	18-0	30	32	3" U-Bar (2-2-2-2)	5678.14	No	GDR-24	No	N/A
3200, 3220	N/A	N/A	103320	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.15	No	GDR-24	No	N/A
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104044	14-2	18-0	30	34	3" U-Bar (2-1-2-1)	5678.16	No	No	No	N/A
3717, 3718, 3720, 3723	240U	C7X17, C7X18, C7X20, C0X23	104643	16-2	18-0	30	32	3" U-Bar (2-2-2-2)	No	No	No	No	N/A
3717, 3718, 3720, 3724	240U	C7X17, C7X18, C7X20, C0X24	104644	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	No	No	No	No	N/A

* - 2"x2" aluminum angle is offset with 4"x6" plates

W6 DOOR LIST — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
3200, 3220	240	N/A	101617	10-2	18-0	37	40	3" U-Bar (2-1-1-1)	5678.27	No	Solid Only GDR-24	No	No
3200, 3220	240	N/A	101678	12-2	18-0	40	40	3" U-Bar (2-1-2-1)	5678.28	No	Solid Only GDR-24	No	No
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104039	10-2	18-0	37	37	3" U-Bar (2-1-1-1)	5678.29	No	No	No	No
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104039	10-2	18-0	37	44	3" U-Bar (2-1-1-1)	16848.6	Opt. IR Lites 16848.5	No	No	Opt. IR Lites 15-0225.22 Exp 7/10/19
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104043	14-2	18-0	37	42	3" U-Bar (2-2-2-2)	5678.30	No	No	No	No
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104861	14-2	18-0	36	40	3" U-Bar (2-2-2-2)	16848.8	Opt. IR Lites 16848.7	No	No	Opt. IR Lites 15-0225.23 Exp 7/10/19
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104801	16-2	18-0	37	42	80 KSI T-Strut (1-1-1-1)	16848.10	Opt. IR Lites 16848.9	No	No	Opt. IR Lites 15-0225.28 Exp 10/2/19
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104826	18-2	18-0	36	40	80 KSI T-Strut (1-1-1-1) and 3" U-Bar (1-1-1-1)	16848.12	Opt. IR Lites 16848.11	No	No	Opt. IR Lites 15-0225.29 Exp 1/15/20
902	N/A	C2AL	103800	22-2	18-0	33	34	6" C-Channel (1-1-1-1) and 3" U-Bar (2-2-2-2) and 2x2 AL Angle (1-1-1-0)	5678.34	No	No	No	No
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102445	10-2	18-0	37	42	3" U-Bar (2-1-2-1)	5678.31	No	Solid Only GDR-24	No	Solid Only 15-0508.07 Exp 4/9/20
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102445	10-2	18-0	37	44	3" U-Bar (2-1-2-1)	16848.2	Solid Only 16848.1	No	No	No
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102446	12-2	18-0	37	42	3" U-Bar (2-2-2-2)	5678.32	No	Solid Only GDR-24	No	No
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	104811	12-2	18-0	36	42	3" U-Bar (2-2-2-2)	n/a	Solid Only 17671.1	No	No	No
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	102585	14-2	18-0	37	38	4" C-Channel (1-1-1-1)	5678.33	No	Solid Only GDR-24	No	No
524, 524V, 524S, 520, 520S	224, 224S	C4ST, C4SV, C4SS, C0ST, C0SS	104924	14-2	18-0	38	42	50 KSI T-Strut (1-1-1-1)	n/a	Solid Only 17671.15	No	No	No
524, 520	224	C4ST, C0ST	104858	16-2	18-0	38	42	80 KSI T-Strut (1-1-1-1)	No	Solid Only 16848.3	No	No	Solid Only 15-0508.08 Exp 4/16/20

W8 DOOR LIST (all W8 doors are impact-resistant) — Clopay Building Products Co.

Clopay Dealer Model Numbers	Holmes Model Numbers	Ideal Dealer Model Numbers	Drawing Number	Door Width (Max) Ft-In	Door Height (Max) Ft-In	+DP (PSF)	-DP (PSF)	Horizontal Reinforcement	Florida Approved STANDARD	Florida Approved IMPACT RESISTANT	TDI listed STANDARD	TDI listed IMPACT RESISTANT	Dade listed
3200	240	N/A	101705	12-2	18-0	52	58	4" C-Channel (1-1-1-1)	N/A	Solid Only 5684.10	No	Solid Only GDR-24	Solid Only 15-0225.17 Exp 9/14/18
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104245	12-2	18-0	50	56	4" C-Channel (1-1-1-1)	N/A	Solid Only 5684.26	No	No	Solid Only 15-0225.02 Exp 1/12/17
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104245	12-2	18-0	52	58	50 KSI T-Strut (1-1-1-1)	N/A	Opt IR Lites 17671.3	No	No	Opt. IR Lites 15-0311.01 Exp 5/7/20
3717, 3718, 3720, 3722	240U	C7X17, C7X18, C7X20, C0X22	104245	14-2	18-0	52	58	80 KSI T-Strut (1-1-1-1)	N/A	Opt IR Lites 17671.4	No	No	Opt. IR Lites 15-0317.07 Exp 5/28/20
3720, 3722	240U	C7X20, C0X22	104112	16-2	18-0	50	56	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	N/A	Solid Only 5684.27	No	No	No
3720, 3722	240U	C7X20, C0X22	104112	16-2	18-0	50	58	80 KSI T-Strut (1-1-1-1) and 80 KSI 3" U-Bar (1-1-1-1)	N/A	Opt IR Lites 17671.5	No	No	Opt. IR Lites 14-1218.03 Exp 4/14/18
524, 520	224	C4ST, C0ST	102645	12-2	18-0	50	56	4" C-Channel (1-1-1-1)	N/A	Solid Only 5684.11	No	No	No
524, 520	224	C4ST, C0ST	104813	12-2	18-0	52	58	50 KSI T-Strut (1-1-1-1)	N/A	Solid Only 16848.4	No	No	Solid Only 15-225.19 Exp 3/6/19
524, 520	224	C4ST, C0ST	103288	14-2	18-0	50	56	4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	N/A	Solid Only 5684.12	No	Solid Only GDR-24	No
524, 520	224	C4ST, C0ST	103288 / 104812	14-2	18-0	52	58	80 KSI T-Strut (1-1-1-1) and 80 KSI 3" U-Bar (1-1-1-1)	N/A	Solid Only 17671.2	No	No	Solid Only 15-0211.03 Exp 4/16/20